


RBM26 polyclonal antibody

Catalog # PAB17395

Size 100 ug

Applications



Western Blot (Cell lysate)

Western blot analysis of extracts from Jurkat cells, using RBM26 polyclonal antibody (Cat # PAB17395).

Peptide "+" means "with peptide blocking".

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of RBM26.
Immunogen	A synthetic peptide corresponding to C-terminus of human RBM26.
Host	Rabbit
Reactivity	Human, Mouse
Specificity	This antibody detects endogenous levels of total RBM26 protein.
Form	Liquid
Recommend Usage	Western Blot (1:500-1:1000) ELISA (1:10000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.4 (150mM NaCl, 0.02% sodium azide, 50% glycerol)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of extracts from Jurkat cells, using RBM26 polyclonal antibody (Cat # PAB17395).

Peptide "+" means "with peptide blocking".

Gene Info — RBM26

Entrez GeneID [64062](#)

Protein Accession# [Q5T8P6](#)

Gene Name RBM26

Gene Alias ARRS2, C13orf10, FLJ20957, MGC133295, MGC133296, PRO1777, RP11-255E21.1, SE70-2, ZC3H17

Gene Description RNA binding motif protein 26

Gene Ontology [Hyperlink](#)

Other Designations acidic rich RS domain containing 2|cutaneous T-cell lymphoma tumor antigen se70-2

Publication Reference

- [The DNA sequence and analysis of human chromosome 13.](#)

Dunham A, Matthews LH, Burton J, Ashurst JL, Howe KL, Ashcroft KJ, Beare DM, Burford DC, Hunt SE, Griffiths-Jones S, Jones MC, Keenan SJ, Oliver K, Scott CE, Ainscough R, Almeida JP, Ambrose KD, Andrews DT, Ashwell RI, Babbage AK, Bagguley CL, Bailey J, Bannerjee R, Barlow KF, Bates K, Beasley H, Bird CP, Bray-Allen S, Brown AJ, Brown JY, Burrill W, Carder C, Carter NP, Chapman JC, Clamp ME, Clark SY, Clarke G, Clee CM, Clegg SC, Cobley V, Collins JE, Corby N, Coville GJ, Deloukas P, Dhami P, Du

Nature 2004 Apr; 428(6982):522.

- [Complete sequencing and characterization of 21,243 full-length human cDNAs.](#)

Ota T, Suzuki Y, Nishikawa T, Otsuki T, Sugiyama T, Irie R, Wakamatsu A, Hayashi K, Sato H, Nagai K, Kimura K, Makita H, Sekine M, Obayashi M, Nishi T, Shibahara T, Tanaka T, Ishii S, Yamamoto J, Saito K, Kawai Y, Isono Y, Nakamura Y, Nagahari K, Murakami K, Yasuda T, Iwayanagi T, Wagatsuma M, Shiratori A, Sudo H, Hosoiri T, Kaku Y, Kodaira H, Kondo H, Sugawara M, Takahashi M, Kanda K, Yokoi T, Furuya T, Kikkawa E, Omura Y, Abe K, Kamihara K, Katsuta N, Sato K, Tanikawa M, Yamazaki M, Ninomiya K

Nature Genetics 2003 Dec; 36(1):40.

- [Serological detection of cutaneous T-cell lymphoma-associated antigens.](#)

Eichmuller S, Usener D, Dummer R, Stein A, Thiel D, Schadendorf D.

Proc Natl Acad Sci U S A 2001 Jan; 98(2):629.

Disease

- [Tobacco Use Disorder](#)