


## CCNE1 polyclonal antibody

Catalog # PAB18122 Size 100 ug


## **Applications**



#### Western Blot (Cell lysate)

Western blot analysis of extracts from HeLa cells, treated with Paclitasel (1 uM, 60 mins), using CCNE1 polyclonal antibody (Cat # PAB18122).


Peptide "+" means "peptide blocking".



# Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical analysis of paraffin-embedded human colon carcinoma tissue using CCNE1 polyclonal antibody (Cat # PAB18122).

Peptide "+" means "peptide blocking".



#### **Immunofluorescence**

Immunofluorescence analysis of HUVEC cells, using CCNE1 polyclonal antibody (Cat # PAB18122).

Peptide "+" means "peptide blocking".

## Specification

**Product Description** 

Rabbit polyclonal antibody raised against synthetic peptide of CCNE1.



#### **Product Information**

Immunogen	A synthetic peptide corresponding to human CCNE1.
Host	Rabbit
Reactivity	Human
Specificity	This antibody is specific to CCNE1.
Form	Liquid
Purification	Affinity purification
Concentration	1 mg/mL
Recommend Usage	Western Blot (1:500-1:1000) Immunohistochemistry (1:50-1:100) Immunofluorescence (1:500-1:1000) ELISA (1:10000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## **Applications**

Western Blot (Cell lysate)

Western blot analysis of extracts from HeLa cells, treated with Paclitasel (1 uM, 60 mins), using CCNE1 polyclonal antibody (Cat # PAB18122).

Peptide "+" means "peptide blocking".

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human colon carcinoma tissue using CCNE1 polyclonal antibody (Cat # PAB18122).

Peptide "+" means "peptide blocking".

Immunofluorescence

Immunofluorescence analysis of HUVEC cells, using CCNE1 polyclonal antibody (Cat # PAB18122). Peptide "+" means "peptide blocking".

Enzyme-linked Immunoabsorbent Assay



Gene Info — CCNE1	
Entrez GenelD	898
Protein Accession#	P24864
Gene Name	CCNE1
Gene Alias	CCNE
Gene Description	cyclin E1
Omim ID	123837
Gene Ontology	<u>Hyperlink</u>
Gene Summary	The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with and functions as a regulatory subunit of CDK2, whose activity is required for cell cycle G1/S transition. This protein accumulates at the G1-S phase boundary and is degraded as cells progress through S phase. Overexpression of this gene has been observed in many tumors, which results in chromosome instability, and thus may contribute to tumorigenesis. This protein was found to associate with, and be involved in, the phosphorylation of NPAT protein (nuclear protein mapped to the ATM locus), which participates in cell-cycle regulated histone gene expression and plays a critical role in promoting cell-cycle progression in the absence of pRB. Two alternatively spliced transcript variants of this gene, which encode distinct isoforms, have been described. Two additional splice variants were reported but detailed nucleotide sequence information is not yet available. [provided by RefSeq
Other Designations	cyclin Es cyclin Et

## **Publication Reference**

Nucleocytoplasmic shuttling of bovine papillomavirus E1 helicase downregulates viral DNA replication in S
phase.

Hsu CY, Mechali F, Bonne-Andrea C.

Journal of Virology 2007 Jan; 81(1):384.

Application: WB, Human, HeLa cells

• Cyclin/CDK regulates the nucleocytoplasmic localization of the human papillomavirus E1 DNA helicase.

Deng W, Lin BY, Jin G, Wheeler CG, Ma T, Harper JW, Broker TR, Chow LT.

Journal of Virology 2004 Dec; 78(24):13954.



## **Pathway**

- Cell cycle
- p53 signaling pathway
- Pathways in cancer
- Prostate cancer
- Small cell lung cancer

#### Disease

- Adenocarcinoma
- Breast cancer
- Breast Neoplasms
- Disease Progression
- Esophageal Neoplasms
- Genetic Predisposition to Disease
- Neoplasm Invasiveness
- Neoplasms
- Ovarian cancer
- Ovarian Neoplasms
- Urinary Bladder Neoplasms