


IKZF1 polyclonal antibody

Catalog # PAB18664 Size 100 ug

Applications



Western Blot (Cell lysate)

IKZF1 polyclonal antibody (Cat # PAB18664) (0.03 ug/mL) staining of Molt 4 lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification

Product Description	Goat polyclonal antibody raised against synthetic peptide of IKZF1.
Immunogen	A synthetic peptide corresponding to amino acids at internal region of human IKZF1.
Sequence	C-DLLRAASENSQDALR
Host	Goat
Theoretical MW (kDa)	65
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Concentration	0.5 mg/mL
Recommend Usage	ELISA (1:2000) Western Blot (1-3 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH 7.3 (0.02% sodium azide, 0.5% BSA)

Storage Instruction

Store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

IKZF1 polyclonal antibody (Cat # PAB18664) (0.03 ug/mL) staining of Molt 4 lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — IKZF1

Entrez GeneID [10320](#)

Protein Accession# [NP_006051.1](#)

Gene Name IKZF1

Gene Alias Hs.54452, IK1, IKAROS, LYF1, PRO0758, ZNFN1A1, hlk-1

Gene Description IKAROS family zinc finger 1 (Ikaros)

Omim ID [603023](#)

Gene Ontology [Hyperlink](#)

Gene Summary subfamily 1A

Other Designations CLL-associated antigen KW-6|Ikaros (zinc finger protein)|zinc finger protein, subfamily 1A, 1 (Ikaros)

Disease

- [Crohn Disease](#)
- [Genetic Predisposition to Disease](#)
- [Inflammatory Bowel Diseases](#)

- [Liver Cirrhosis](#)
- [Lupus Erythematosus](#)
- [Lupus Nephritis](#)
- [Neoplasm Recurrence](#)
- [Philadelphia Chromosome](#)
- [Precursor B-Cell Lymphoblastic Leukemia-Lymphoma](#)