


MARCH10 polyclonal antibody

Catalog # PAB18672 Size 100 ug

Applications



Western Blot (Tissue lysate)

MARCH10 polyclonal antibody (Cat # PAB18672) (0.3 ug/mL) staining of rat testis lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification	
Product Description	Goat polyclonal antibody raised against synthetic peptide of MARCH10.
Immunogen	A synthetic peptide corresponding to amino acids at internal region of human MARCH10.
Sequence	C-SRNYPQPRTEE
Host	Goat
Theoretical MW (kDa)	90
Reactivity	Rat
Specificity	This antibody is expected to recognise both reported isoforms (NP_001094345.1; NP_689811.2), w hich are identical.
Form	Liquid
Purification	Antigen affinity purification
Concentration	0.5 mg/mL



Product Information

Recommend Usage	ELISA (1:32000) Western Blot (0.5-1.5 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH 7.3 (0.02% sodium azide, 0.5% BSA)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Tissue lysate)

MARCH10 polyclonal antibody (Cat # PAB18672) (0.3 ug/mL) staining of rat testis lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Enzyme-linked Immunoabsorbent Assay

Gene Info — MARCH10	
<u>162333</u>	
NP_001094345.1;NP_689811.2	
MARCH10	
FLJ35757, MARCH-X, RNF190	
membrane-associated ring finger (C3HC4) 10	
<u>Hyperlink</u>	
ring finger protein 190	

Disease

- Cerebral Hemorrhage
- Chronic Disease
- Genetic Predisposition to Disease



- Hypertension
- Intracranial Hemorrhages
- Kidney Diseases
- Stroke
- Subarachnoid Hemorrhage