


RHCG polyclonal antibody

Catalog # PAB19060

Size 100 ug

Applications



Western Blot (Tissue lysate)

RHCG polyclonal antibody (Cat # PAB19060) (1 ug/mL) staining of human testis lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification

Product Description	Goat polyclonal antibody raised against synthetic peptide of RHCG.
Immunogen	A synthetic peptide corresponding to amino acids at internal region of human RHCG.
Sequence	C-ERQNSVYQSD
Host	Goat
Theoretical MW (kDa)	60
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Concentration	0.5 mg/mL
Recommend Usage	ELISA (1:16000) Western Blot (1-3 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH7.3 (0.5% BSA, 0.02% sodium azide)

Storage Instruction

Store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

RHCG polyclonal antibody (Cat # PAB19060) (1 ug/mL) staining of human testis lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — RHCG

Entrez GeneID [51458](#)

Protein Accession# [NP_057405.1](#)

Gene Name RHCG

Gene Alias C15orf6, PDRC2, RHGK, SLC42A3

Gene Description Rh family, C glycoprotein

Omim ID [605381](#)

Gene Ontology [Hyperlink](#)

Gene Summary O

Other Designations Rh type C glycoprotein|Rhesus blood group, C glycoprotein

Disease

- [Cardiovascular Diseases](#)
- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Edema](#)

- [Genetic Predisposition to Disease](#)