


BFAR polyclonal antibody


Catalog # PAB19189 Size 100 ug

Applications



Western Blot (Tissue lysate)

Western blot analysis of human kidney tissue with BFAR polyclonal antibody (Cat # PAB19189) at (Lane 1) 1 and (Lane 2) 2 ug/mL dilution.



Immunohistochemistry

Immunohistochemical staining of mouse kidney tissue with BFAR polyclonal antibody (Cat # PAB19189) at 5 ug/mL dilution.

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of BFAR.
Immunogen	A synthetic peptide corresponding to 14 amino acids near C-terminus of human BFAR.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Affinity purification

Concentration	1 mg/mL
Recommend Usage	Western blot (1-2 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.02% sodium azide)
Storage Instruction	Store at 4°C for three months. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

Western blot analysis of human kidney tissue with BFAR polyclonal antibody (Cat # PAB19189) at (Lane 1) 1 and (Lane 2) 2 ug/mL dilution.

- Immunohistochemistry

Immunohistochemical staining of mouse kidney tissue with BFAR polyclonal antibody (Cat # PAB19189) at 5 ug/mL dilution.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — BFAR

Entrez GeneID	51283
GeneBank Accession#	NP_057645
Gene Name	BFAR
Gene Alias	BAR, RNF47
Gene Description	bifunctional apoptosis regulator
Gene Ontology	Hyperlink
Other Designations	apoptosis regulator

Disease

- [Choroidal Neovascularization](#)
- [Retinal Drusen](#)
- [Wet Macular Degeneration](#)