


TFB2M polyclonal antibody

Catalog # PAB19478 Size 100 ug

Applications



Western Blot (Tissue lysate)

TFB2M polyclonal antibody (Cat # PAB19478)(0.1 ug/mL) staining of human lung (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification

Product Description	Goat polyclonal antibody raised against synthetic peptide of TFB2M.
Immunogen	A synthetic peptide corresponding to internal region of human TFB2M.
Sequence	KHCFGRRSATVIDH
Host	Goat
Theoretical MW (kDa)	45.3
Reactivity	Human
Form	Liquid
Purification	Ammonium sulfate precipitation
Recommend Usage	ELISA (1:64000) Western Blot (0.1-0.3 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)

Storage Instruction

Store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

TFB2M polyclonal antibody (Cat # PAB19478)(0.1 ug/mL) staining of human lung (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — TFB2M

Entrez GeneID [64216](#)

Protein Accession# [NP_071761.1](#)

Gene Name TFB2M

Gene Alias FLJ22661, FLJ23182, Hkp1

Gene Description transcription factor B2, mitochondrial

Omim ID [607055](#)

Gene Ontology [Hyperlink](#)

Gene Summary O

Other Designations OTTHUMP00000037974

Disease

- [Alzheimer disease](#)
- [Cardiomegaly](#)
- [Cardiovascular Diseases](#)
- [Diabetes Complications](#)

- [Genetic Predisposition to Disease](#)
- [Metabolic Syndrome X](#)
- [Neoplasms](#)
- [Osteoporosis](#)
- [Parkinson disease](#)