


MAPT polyclonal antibody

Catalog # PAB19549 Size 100 ug

Applications



Western Blot (Tissue lysate)

Western blot analysis of tissue lysates with MAPT polyclonal antibody (Cat # PAB19549).

Lane 1 & 2 : rat brain

Lane 3 & 4 : mouse brain

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of MAPT.
Immunogen	A synthetic peptide corresponding to amino acids at N-terminus of human MAPT.
Host	Rabbit
Reactivity	Human
Specificity	The synthetic peptide different from the related mouse and rat sequence by three amino acids.
Form	Lyophilized
Purification	Immunoaffinity purification
Isotype	IgG
Recommend Usage	Western Blot (1 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	Lyophilized from 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ (5 mg BSA, 0.05 mg sodium azide, 0.05 mg Thimerosal)

Storage Instruction

Store at -20°C on dry atmosphere.
After reconstitution with 200 uL of deionized water and concentration will be 500 ug/mL, store at -20°C or lower.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide and thimerosal: POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

Western blot analysis of tissue lysates with MAPT polyclonal antibody (Cat # PAB19549).

Lane 1 & 2 : rat brain

Lane 3 & 4 : mouse brain

Gene Info — MAPT

Entrez GeneID [4137](#)

Gene Name MAPT

Gene Alias DDPAC, FLJ31424, FTDP-17, MAPTL, MGC138549, MSTD, MTBT1, MTBT2, PPND, TAU

Gene Description microtubule-associated protein tau

Omim ID [157140](#) [168600](#) [172700](#) [260540](#) [600274](#) [601104](#)

Gene Ontology [Hyperlink](#)

Gene Summary This gene encodes the microtubule-associated protein tau (MAPT) whose transcript undergoes complex, regulated alternative splicing, giving rise to several mRNA species. MAPT transcripts are differentially expressed in the nervous system, depending on stage of neuronal maturation and neuron type. MAPT gene mutations have been associated with several neurodegenerative disorders such as Alzheimer's disease, Pick's disease, frontotemporal dementia, cortico-basal degeneration and progressive supranuclear palsy. [provided by RefSeq]

Other Designations G protein beta1/gamma2 subunit-interacting factor 1|microtubule-associated protein tau, isoform 4

Pathway

- [MAPK signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Amyloidosis](#)
- [Amyotrophic lateral sclerosis](#)
- [Aphasia](#)
- [Atherosclerosis](#)
- [Atrophy](#)
- [Autistic Disorder](#)
- [Brain Concussion](#)
- [Brain Diseases](#)
- [Brain Ischemia](#)
- [Cardiovascular Diseases](#)
- [Carotid Stenosis](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Cognition](#)
- [Cognition Disorders](#)
- [Craniofacial Abnormalities](#)
- [Creutzfeldt-Jakob Syndrome](#)
- [Dementia](#)
- [Depressive Disorder](#)
- [Diabetes Complications](#)
- [Disease Progression](#)
- [Dystonia](#)
- [Frontotemporal Dementia](#)

- [Frontotemporal Lobar Degeneration](#)
- [Genetic Predisposition to Disease](#)
- [Hallucinations](#)
- [Huntington disease](#)
- [Inversion](#)
- [Memory Disorders](#)
- [Mental Retardation](#)
- [Mental Status Schedule](#)
- [Metabolic Syndrome X](#)
- [Mouth Abnormalities](#)
- [Movement Disorders](#)
- [Myocardial Infarction](#)
- [Neoplasms](#)
- [Nerve Degeneration](#)
- [Neurodegenerative Diseases](#)
- [Neuropsychological Tests](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Parkinson disease](#)
- [Parkinsonian Disorders](#)
- [Perceptual Disorders](#)
- [Pick Disease of the Brain](#)
- [Prion Diseases](#)
- [Psychomotor Disorders](#)
- [Psychomotor Performance](#)

- [Psychotic Disorders](#)
- [Schizophrenia](#)
- [Supranuclear Palsy](#)
- [Syndrome](#)
- [Tauopathies](#)
- [Thrombosis](#)
- [Tourette Syndrome](#)
- [Visual Perception](#)