


# TERF2IP polyclonal antibody

Catalog # PAB19708 Size 100 ug

### **Applications**



### Western Blot (Tissue lysate)

TERF2IP polyclonal antibody (Cat # PAB19708) (0.2 ug/mL) staining of human tonsil lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification	
Product Description	Goat polyclonal antibody raised against synthetic peptide of TERF2IP.
Immunogen	A synthetic peptide corresponding to C-terminus of human TERF2IP.
Sequence	C-GAQNVARRIEFRKK
Host	Goat
Theoretical MW (kDa)	44.3
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Recommend Usage	ELISA (1:64000) Western Blot (0.1-0.3 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)



#### **Product Information**

Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## **Applications**

Western Blot (Tissue lysate)

TERF2IP polyclonal antibody (Cat # PAB19708) (0.2 ug/mL) staining of human tonsil lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Enzyme-linked Immunoabsorbent Assay

Gene Info — TERF2IP	
Entrez GeneID	<u>54386</u>
Protein Accession#	NP_061848.2
Gene Name	TERF2IP
Gene Alias	DRIP5, RAP1
Gene Description	telomeric repeat binding factor 2, interacting protein
Omim ID	<u>605061</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	0
Other Designations	TRF2-interacting telomeric RAP1 protein dopamine receptor interacting protein 5

#### Disease

- Breast Neoplasms
- Genetic Predisposition to Disease
- Lung Neoplasms
- Neoplasm Metastasis