


BLK polyclonal antibody

Catalog # PAB19716 Size 100 ug

Applications



Western Blot (Tissue lysate)

BLK polyclonal antibody (Cat # PAB19716) (0.1 ug/mL) staining of human thymus lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification

Product Description Goat polyclonal antibody raised against synthetic peptide of BLK.

Immunogen A synthetic peptide corresponding to N-terminus of human BLK.

Sequence QWSPLKVSQAQDKD-C

Host Goat

Theoretical MW (kDa) 57.7

Reactivity Human

Form Liquid

Purification Antigen affinity purification

Recommend Usage
ELISA (1:128000)
Western Blot (0.1-0.3 ug/mL)
The optimal working dilution should be determined by the end user.

Storage Buffer In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)

Storage Instruction

Store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

BLK polyclonal antibody (Cat # PAB19716) (0.1 ug/mL) staining of human thymus lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — BLK

Entrez GeneID[640](#)**Protein Accession#**[NP_001706.2](#)**Gene Name**

BLK

Gene Alias

MGC10442

Gene Description

B lymphoid tyrosine kinase

Omim ID[191305](#)**Gene Ontology**[Hyperlink](#)**Other Designations**

BLK nonreceptor tyrosine kinase

Disease

- [Antiphospholipid Syndrome](#)
- [Arthritis](#)
- [Genetic Predisposition to Disease](#)
- [Giant Cell Arteritis](#)
- [Lupus Erythematosus](#)

- [Scleroderma](#)