


CCDC22 polyclonal antibody

Catalog # PAB20013 Size 100 uL

Applications




Western Blot (Cell lysate)

Western blot analysis of cell lysates with CCDC22 polyclonal antibody (Cat # PAB20013) at 1:250-1:500 dilution.

Lane 1 : NIH/3T3


Lane 2 : NBT-II

Lane 3: PC-12



Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: A-431, Lane 4: Liver, Lane 5: Tonsil with CCDC22 polyclonal antibody (Cat # PAB20013) at 1:250-1:500 dilution.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human stomach with CCDC22 polyclonal antibody (Cat # PAB20013) shows strong cytoplasmic positivity in glandular cells at 1:200-1:500 dilution.

Specification

Product Description

Rabbit polyclonal antibody raised against recombinant CCDC22.

Immunogen	Recombinant protein corresponding to amino acids of human CCDC22.
Sequence	YQNFLYPSEPDLRDLLLLFLAERLPTDASEDADQPAGDSAILLRAIGSQIRDQLALPWVPPHLRTPK LQHLQGSALQKPFHASRLVVPELSSRGEPREFQASPLLLPVPTQVPQPVGRVA
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:200-1:500) Western Blot (1:250-1:500) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of cell lysates with CCDC22 polyclonal antibody (Cat # PAB20013) at 1:250-1:500 dilution.

Lane 1 : NIH/3T3

Lane 2 : NBT-II

Lane 3: PC-12

- Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: A-431, Lane 4: Liver, Lane 5: Tonsil with CCDC22 polyclonal antibody (Cat # PAB20013) at 1:250-1:500 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human stomach with CCDC22 polyclonal antibody (Cat # PAB20013) shows strong cytoplasmic positivity in glandular cells at 1:200-1:500 dilution.

Gene Info — CCDC22

Entrez GeneID	28952
Protein Accession#	O60826
Gene Name	CCDC22
Gene Alias	CXorf37, JM1
Gene Description	coiled-coil domain containing 22
Gene Ontology	Hyperlink
Other Designations	OTTHUMP00000025839

Disease

- [Alzheimer disease](#)
- [Cerebral Amyloid Angiopathy](#)
- [Genetic Predisposition to Disease](#)
- [Neuroblastoma](#)
- [Rhinitis](#)