


# WDR53 polyclonal antibody

Catalog # PAB20868 Size 100 uL


## **Applications**



#### Western Blot (Cell lysate)

Western blot analysis of cell lysates with WDR53 polyclonal antibody (Cat # PAB20868) at 1:250-1:500 dilution.

Lane 1 : NIH/3T3 Lane 2 : NBT-II



#### Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with WDR53 polyclonal antibody (Cat # PAB20868) at 1:250-1:500 dilution.



# Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining of human small intestine with WDR53 polyclonal antibody (Cat # PAB20868) shows cytoplasmic positivity in glandular cells at 1:50-1:200 dilution.

## Specification

**Product Description** 

Rabbit polyclonal antibody raised against recombinant WDR53.



#### **Product Information**

Immunogen	Recombinant protein corresponding to amino acids of human WDR53.
Sequence	PVLCLNASKEGLLASGAEGGDLTAWGEDGTPLGHTRFQGADDVTSVLFSPSCPTKLYASHGETI SVLDVRSLKDSLDHFHVNEEEINCLSLNQTENLLASADDSGAIKILDLENKKVIRSLKRHSNICSSV
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Antigen affinity purification
Isotype	lgG
Recommend Usage	Immunohistochemistry (1:50-1:200) Western Blot (1:250-1:500) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## **Applications**

Western Blot (Cell lysate)

Western blot analysis of cell lysates with WDR53 polyclonal antibody (Cat # PAB20868) at 1:250-1:500 dilution.

Lane 1 : NIH/3T3 Lane 2 : NBT-II

Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with WDR53 polyclonal antibody (Cat # PAB20868) at 1:250-1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human small intestine with WDR53 polyclonal antibody (Cat # PAB20868) shows cytoplasmic positivity in glandular cells at 1:50-1:200 dilution.

## Gene Info — WDR53

Entrez GeneID

348793



# **Product Information**

Protein Accession#	<u>Q7Z5U6</u>
Gene Name	WDR53
Gene Alias	MGC64882
Gene Description	WD repeat domain 53
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes a protein containing WD domains. The function of this gene is unknown. [provided by RefSeq
Other Designations	-