


C9orf78 polyclonal antibody


Catalog # PAB21368 Size 100 uL

Applications




Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with C9orf78 polyclonal antibody (Cat # PAB21368) at 1:250-1:500 dilution.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human urinary bladder with C9orf78 polyclonal antibody (Cat # PAB21368) shows strong nuclear positivity in urothelial cells at 1:50-1:200 dilution.



Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with C9orf78 polyclonal antibody (Cat # PAB21368) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli.

Specification

Product Description

Rabbit polyclonal antibody raised against recombinant C9orf78.

Immunogen

Recombinant protein corresponding to amino acids of human C9orf78.

Sequence	KKTEEMLSNQMLSGIPEVDLGIDAKIKNIISTEDAKARLLAEQQNKKKDSFVPTNMAVNYVQHN R
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:50-1:200) Western Blot (1:250-1:500) Immunofluorescence (1-4 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with C9orf78 polyclonal antibody (Cat # PAB21368) at 1:250-1:500 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human urinary bladder with C9orf78 polyclonal antibody (Cat # PAB21368) shows strong nuclear positivity in urothelial cells at 1:50-1:200 dilution.

- Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with C9orf78 polyclonal antibody (Cat # PAB21368) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli.

Gene Info — C9orf78

Entrez GeneID [51759](#)

Protein Accession# [Q9NZ63](#)

Gene Name	C9orf78
Gene Alias	HSPC220, bA409K20.3
Gene Description	chromosome 9 open reading frame 78
Gene Ontology	Hyperlink
Other Designations	OTTHUMP00000022352 hepatocellular carcinoma-associated antigen 59