


# C17orf81 polyclonal antibody


Catalog # PAB21551      Size 100 uL

## Applications




### Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with C17orf81 polyclonal antibody (Cat # PAB21551) at 1:250-1:500 dilution.



### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human skeletal muscle with C17orf81 polyclonal antibody (Cat # PAB21551) shows strong cytoplasmic positivity in myocytes at 1:200-1:500 dilution.



### Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with C17orf81 polyclonal antibody (Cat # PAB21551) at 1-4 ug/mL dilution shows positivity in cytoplasm.

## Specification

### Product Description

Rabbit polyclonal antibody raised against recombinant C17orf81.

### Immunogen

Recombinant protein corresponding to amino acids of human C17orf81.

Sequence	GTGRELEMLDSELLALGGLVLLRDSVEWEGRSLLKALVKKSALCGEQVHILGCEVSEEEFREGFDSDINNRL
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:200-1:500) Western Blot (1:250-1:500) Immunofluorescence (1-4 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with C17orf81 polyclonal antibody (Cat # PAB21551) at 1:250-1:500 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human skeletal muscle with C17orf81 polyclonal antibody (Cat # PAB21551) shows strong cytoplasmic positivity in myocytes at 1:200-1:500 dilution.

- Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with C17orf81 polyclonal antibody (Cat # PAB21551) at 1-4 ug/mL dilution shows positivity in cytoplasm.

## Gene Info — C17orf81

Entrez GeneID [23587](#)

Protein Accession# [Q8TE02](#)

<b>Gene Name</b>	C17orf81
<b>Gene Alias</b>	DERP6, HSPC002, MST071, MSTP071
<b>Gene Description</b>	chromosome 17 open reading frame 81
<b>Gene Ontology</b>	<a href="#">Hyperlink</a>
<b>Other Designations</b>	S-phase 2 protein dermal papilla derived protein 6