


# MRPL45 polyclonal antibody

Catalog # PAB21562 Size 100 uL

## **Applications**




#### Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with MRPL45 polyclonal antibody (Cat # PAB21562) at 1:250-1:500 dilution.



# Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining of human duodenum with MRPL45 polyclonal antibody (Cat # PAB21562) strong cytoplasmic positivity in glandular cells at 1:50-1:200 dilution.



#### **Immunofluorescence**

Immunofluorescent staining of human cell line U-2 OS with MRPL45 polyclonal antibody (Cat # PAB21562) at 1-4 ug/mL dilution shows positivity in mitochondria.

$\sim$		4.5
S'nc	OITIO	Otion
		анон
		ation

**Product Description** Rabbit polyclonal antibody raised against recombinant MRPL45.

**Immunogen** Recombinant protein corresponding to amino acids of human MRPL45.



### **Product Information**

Sequence	VLEYVVFEKQLTNPYGSWRMHTKIVPPWAPPKQPILKTVMIPGPQLKPEEEYEEAQGEAQKPQLA
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	lgG
Recommend Usage	Immunohistochemistry (1:50-1:200) Western Blot (1:250-1:500) Immunofluorescence (1-4 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## **Applications**

Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with MRPL45 polyclonal antibody (Cat # PAB21562) at 1:250-1:500 dilution.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human duodenum with MRPL45 polyclonal antibody (Cat # PAB21562) strong cytoplasmic positivity in glandular cells at 1:50-1:200 dilution.

Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with MRPL45 polyclonal antibody (Cat # PAB21562) at 1-4 ug/mL dilution shows positivity in mitochondria.

Gene	lnfo — I	MRPL45

Entrez GeneID	<u>84311</u>
Protein Accession#	Q9BRJ2



## **Product Information**

Gene Name	MRPL45
Gene Alias	MGC11321
Gene Description	mitochondrial ribosomal protein L45
Gene Ontology	<u>Hyperlink</u>
Gene Summary	Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein s ynthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28 S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition co mpared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mam malian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among diff erent species, the proteins comprising the mitoribosome differ greatly in sequence, and sometim es in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Pseudogenes corresponding to this gene are found on chromoso mes 2p and 17q. [provided by RefSeq
Other Designations	-