


# CDCA7L polyclonal antibody


Catalog # PAB21880      Size 100 uL

## Applications




### Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with CDCA7L polyclonal antibody (Cat # PAB21880) at 1:250-1:500 dilution.



### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human appendix with CDCA7L polyclonal antibody (Cat # PAB21880) shows strong nuclear positivity in lymphoid reaction center cells at 1:500-1:1000 dilution.



### Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with CDCA7L polyclonal antibody (Cat # PAB21880) at 1-4 ug/mL dilution shows positivity in nucleus, nucleoli and cytoplasm.

## Specification

### Product Description

Rabbit polyclonal antibody raised against recombinant CDCA7L.

### Immunogen

Recombinant protein corresponding to amino acids of human CDCA7L.

<b>Sequence</b>	VRFHSKYFTEELRRIFIEDTDSETEDFAGFTQSDLNKTNPEVMVVEDLSDDGKASLVSEEEED EEEDKATPRRSRRSSIGLRVAFQFPTKKLANPKDNSSSEQLFSSARLQNEKKTILERKKDCR QVIQREDSTSESE
<b>Host</b>	Rabbit
<b>Reactivity</b>	Human
<b>Form</b>	Liquid
<b>Purification</b>	Antigen affinity purification
<b>Isotype</b>	IgG
<b>Recommend Usage</b>	Immunohistochemistry (1:500-1:1000) Western Blot (1:250-1:500) Immunofluorescence (1-4 ug/mL) The optimal working dilution should be determined by the end user.
<b>Storage Buffer</b>	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
<b>Storage Instruction</b>	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
<b>Note</b>	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with CDCA7L polyclonal antibody (Cat # PAB21880) at 1:250-1:500 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human appendix with CDCA7L polyclonal antibody (Cat # PAB21880) shows strong nuclear positivity in lymphoid reaction center cells at 1:500-1:1000 dilution.

- Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with CDCA7L polyclonal antibody (Cat # PAB21880) at 1-4 ug/mL dilution shows positivity in nucleus, nucleoli and cytoplasm.

## Gene Info — CDCA7L

Entrez GeneID [55536](#)

Protein Accession#	<a href="#">Q96GN5</a>
Gene Name	CDCA7L
Gene Alias	DKFZp762L0311, JPO2, R1, RAM2
Gene Description	cell division cycle associated 7-like
Omim ID	<a href="#">609685</a>
Gene Ontology	<a href="#">Hyperlink</a>
Other Designations	transcription factor RAM2