
HEXIM2 polyclonal antibody


Catalog # PAB22156 Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining of human colon with HEXIM2 polyclonal antibody (Cat # PAB22156) shows strong nuclear positivity in glandular cells at 1:50-1:200 dilution.



Immunofluorescence

Immunofluorescent staining of human cell line U-251MG with HEXIM2 polyclonal antibody (Cat # PAB22156) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli.

Specification	
Product Description	Rabbit polyclonal antibody raised against recombinant HEXIM2.
Immunogen	Recombinant protein corresponding to amino acids of human HEXIM2.
Sequence	YNTTQFLMNDRDPEEPNLDVPHGISHPGSSGESEAGDSDGRGRAHGEFQRKDFSETYERFHTE SLQGRSKQ
Host	Rabbit
Reactivity	Human
Form	Liquid

😵 Abnova

Product Information

Purification	Antigen affinity purification
lsotype	lgG
Recommend Usage	Immunohistochemistry (1:50-1:200)
	Immunofluorescence (1-4 ug/mL)
	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C.
	Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human colon with HEXIM2 polyclonal antibody (Cat # PAB22156) shows strong nuclear positivity in glandular cells at 1:50-1:200 dilution.

• Immunofluorescence

Immunofluorescent staining of human cell line U-251MG with HEXIM2 polyclonal antibody (Cat # PAB22156) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli.

Gene Info — HEXIM2

Entrez GenelD	<u>124790</u>
Protein Accession#	<u>Q96MH2</u>
Gene Name	HEXIM2
Gene Alias	FLJ32384, L3
Gene Description	hexamthylene bis-acetamide inducible 2
Gene Ontology	Hyperlink
Other Designations	MAQ1 paralog hexamethylene-bis-acetamide-inducible transcript 2