


VWA2 polyclonal antibody

Catalog # PAB23176 Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human colon with VWA2 polyclonal antibody (Cat # PAB23176) shows strong cytoplasmic positivity in glandular cells at 1:200-1:500 dilution.

Specification

Product Description	Rabbit polyclonal antibody raised against recombinant VWA2.
Immunogen	Recombinant protein corresponding to amino acids of human VWA2.
Sequence	VNPDVTQVGLVVYGSQVQTAFGLDTKPTRAAMLRAISQAPYLGGVGSAGTALLHIYDKVMTVQRG ARPGVPKAVVVLTGGRGAEDAAVPAQKLRNNGISV
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:200-1:500) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)

Storage Instruction

Store at 4°C. For long term storage store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human colon with VWA2 polyclonal antibody (Cat # PAB23176) shows strong cytoplasmic positivity in glandular cells at 1:200-1:500 dilution.

Gene Info — VWA2

Entrez GeneID[340706](#)**Protein Accession#**[Q5GFL6](#)**Gene Name**

VWA2

Gene Alias

AMACO, CCSP-2, MGC157755

Gene Description

von Willebrand factor A domain containing 2

Gene Ontology[Hyperlink](#)**Other Designations**

A-domain containing protein similar to matrilin and collagen|OTTHUMP00000043931|colon cancer diagnostic marker|colon cancer secreted protein-2

Disease

- [Alzheimer Disease](#)
- [Genetic Predisposition to Disease](#)