


# FAM96B polyclonal antibody

Catalog # PAB23816      Size 100 uL


## Applications



### Western Blot (Transfected lysate)


Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate).

Lane 2: Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells with FAM96B polyclonal antibody (Cat # PAB23816).



### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human stomach with FAM96B polyclonal antibody (Cat # PAB23816) shows strong membranous and cytoplasmic positivity in glandular cells at 1:200-1:500 dilution.



### Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with FAM96B polyclonal antibody (Cat # PAB23816) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli and cytoplasm.

## Specification

### Product Description

Rabbit polyclonal antibody raised against recombinant FAM96B.

### Immunogen

Recombinant protein corresponding to amino acids of human FAM96B.

Sequence	LIYQRSGERPVTAGEEDEQVPDSIDAREIFDLIRSINDPEHPLTLEELNVVEQVRVQVSDPESTVAV AFTPTIP
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:200-1:500) Immunofluorescence (1-4 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Western Blot (Transfected lysate)

Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate).

Lane 2: Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells with FAM96B polyclonal antibody (Cat # PAB23816).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human stomach with FAM96B polyclonal antibody (Cat # PAB23816) shows strong membranous and cytoplasmic positivity in glandular cells at 1:200-1:500 dilution.

- Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with FAM96B polyclonal antibody (Cat # PAB23816) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli and cytoplasm.

## Gene Info — FAM96B

Entrez GeneID [51647](#)

Protein Accession# [Q9Y3D0](#)

Gene Name	FAM96B
Gene Alias	CGI-128
Gene Description	family with sequence similarity 96, member B
Gene Ontology	<a href="#">Hyperlink</a>
Gene Summary	O
Other Designations	hypothetical protein LOC51647