


CCDC86 polyclonal antibody


Catalog # PAB23824 Size 100 uL

Applications




Western Blot (Transfected lysate)

Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate).
Lane 2: Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells with CCDC86 polyclonal antibody (Cat # PAB23824).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human rectum with CCDC86 polyclonal antibody (Cat # PAB23824) shows moderate nucleolar positivity in glandular cells at 1:1000-1:2500 dilution.



Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with CCDC86 polyclonal antibody (Cat # PAB23824) at 1-4 ug/mL dilution shows positivity in nucleus and nucleoli.

Specification

Product Description

Rabbit polyclonal antibody raised against recombinant CCDC86.

Immunogen

Recombinant protein corresponding to amino acids of human CCDC86.

Sequence	LQQGAGLESPQGQPEPGAASPQRQQDLHLESPQRQPEYSPESPRCQPKPSEEAPKCSQDQG VLASELAQNKEELTPGAPQHQLPPV
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:1000-1:2500) Immunofluorescence (1-4 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Transfected lysate)

Western blot analysis of Lane 1: Negative control (vector only transfected HEK293T lysate).

Lane 2: Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells with CCDC86 polyclonal antibody (Cat # PAB23824).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human rectum with CCDC86 polyclonal antibody (Cat # PAB23824) shows moderate nucleolar positivity in glandular cells at 1:1000-1:2500 dilution.

- Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with CCDC86 polyclonal antibody (Cat # PAB23824) at 1-4 ug/mL dilution shows positivity in nucleus and nucleoli.

Gene Info — CCDC86

Entrez GeneID [79080](#)

Protein Accession# [Q9H6F5](#)

Gene Name	CCDC86
Gene Alias	FLJ22321, MGC2574
Gene Description	coiled-coil domain containing 86
Omim ID	611293
Gene Ontology	Hyperlink
Other Designations	cyclon

Disease

- [Cardiovascular Diseases](#)
- [Cerebral Hemorrhage](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)
- [Intracranial Hemorrhages](#)
- [Stroke](#)
- [Subarachnoid Hemorrhage](#)