


# FNIP2 polyclonal antibody

Catalog # PAB23979


Size 100 uL

## Applications



### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human salivary gland with FNIP2 polyclonal antibody (Cat # PAB23979) shows strong granular cytoplasmic positivity in salivary gland ducts.



### Immunofluorescence

Immunofluorescent staining of human cell line U-251 MG with FNIP2 polyclonal antibody (Cat # PAB23979) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli and cytoplasm.

## Specification

|                     |   |
|---------------------|---|
| Product Description | Rabbit polyclonal antibody raised against recombinant FNIP2.                                      |
| Immunogen           | Recombinant protein corresponding to amino acids of human FNIP2.                                  |
| Sequence            | MDQQAVCELLKVEMPTRLPDRSVAWPCPDRHLREKPSLEKVTFAQIGSFASPESEDFESRMKKME<br>ERVKACGPSLEASEAADVAQDPQVSRSP |
| Host                | Rabbit  |
| Reactivity          | Human   |
| Form                | Liquid  |

|                     |  |
|---------------------|--|
| Purification        | Antigen affinity purification  |
| Isotype             | IgG  |
| Recommend Usage     | Immunohistochemistry (1:200-1:500)<br>Immunofluorescence (1-4 ug/mL)<br>The optimal working dilution should be determined by the end user. |
| Storage Buffer      | In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)  |
| Storage Instruction | Store at 4°C. For long term storage store at -20°C.<br>Aliquot to avoid repeated freezing and thawing.                                     |
| Note                | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.                     |

## Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human salivary gland with FNIP2 polyclonal antibody (Cat # PAB23979) shows strong granular cytoplasmic positivity in salivary gland ducts.

- Immunofluorescence

Immunofluorescent staining of human cell line U-251 MG with FNIP2 polyclonal antibody (Cat # PAB23979) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli and cytoplasm.

## Gene Info — FNIP2

|                    |                                  |
|--------------------|----------------------------------|
| Entrez GeneID      | <a href="#">57600</a>            |
| Protein Accession# | <a href="#">Q9P278</a>           |
| Gene Name          | FNIP2                            |
| Gene Alias         | FNIP1, KIAA1450                  |
| Gene Description   | folliculin interacting protein 2 |
| Gene Ontology      | <a href="#">Hyperlink</a>        |
| Other Designations | -                                |

## Disease

- [Tobacco Use Disorder](#)