# SENP2 polyclonal antibody

Catalog # PAB2414 Size 400 uL

## Applications



### Western Blot (Tissue lysate)

The SENP2 polyclonal antibody (Cat # PAB2414) is used in Western blot to detect SENP2 in mouse heart tissue lysate.



### Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Formalin-fixed and paraffin-embedded human cancer tissue reacted with the SENP2 polyclonal antibody (Cat # PAB2414), which was peroxidaseconjugated to the secondary antibody, followed by AEC staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of SENP2.
Immunogen	A synthetic peptide (conjugated with KLH) corresponding to C-terminus of human SENP2.
Host	Rabbit
Reactivity	Human, Mouse
Form	Liquid
Purification	Protein G purification



### **Product Information**

Recommend Usage	Western Blot (1:1000) Immunohistochemistry (1:50-100) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## Applications

#### • Western Blot (Tissue lysate)

The SENP2 polyclonal antibody (Cat # PAB2414) is used in Western blot to detect SENP2 in mouse heart tissue lysate.

• Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Formalin-fixed and paraffin-embedded human cancer tissue reacted with the SENP2 polyclonal antibody (Cat # PAB2414), which was peroxidase-conjugated to the secondary antibody, followed by AEC staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma.

Gene Info — SENP2	
Entrez GenelD	<u>59343</u>
Protein Accession#	NP_067640;Q9HC62
Gene Name	SENP2
Gene Alias	AXAM2, DKFZp762A2316, KIAA1331, SMT3IP2
Gene Description	SUMO1/sentrin/SMT3 specific peptidase 2
Omim ID	<u>608261</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	SUMO1 (UBL1; MIM 601912) is a small ubiquitin-like protein that can be covalently conjugated to other proteins. SENP2 is one of a group of enzymes that process newly synthesized SUMO1 into the conjugatable form and catalyze the deconjugation of SUMO1-containing species.[supplied by OMIM
Other Designations	SUMO1/sentrin/SMT3 specific protease 2 sentrin-specific protease

### **Publication Reference**

#### <u>Complete sequencing and characterization of 21,243 full-length human cDNAs.</u>

Ota T, Suzuki Y, Nishikawa T, Otsuki T, Sugiyama T, Irie R, Wakamatsu A, Hayashi K, Sato H, Nagai K, Kimura K, Makita H, Sekine M, Obayashi M, Nishi T, Shibahara T, Tanaka T, Ishii S, Yamamoto J, Saito K, Kawai Y, Isono Y, Nakamura Y, Nagahari K, Murakami K, Yasuda T, Iwayanagi T, Wagatsuma M, Shiratori A, Sudo H, Hosoiri T, Kaku Y, Kodaira H, Kondo H, Sugawara M, Takahashi M, Kanda K, Yokoi T, Furuya T, Kikkawa E, Omura Y, Abe K, Kamihara K, Katsuta N, Sato K, Tanikawa M, Yamazaki M, Ninomiya K

Nature Genetics 2003 Dec; 36(1):40.

#### Enzymes of the SUMO modification pathway localize to filaments of the nuclear pore complex.

Zhang H, Saitoh H, Matunis MJ.

Molecular and Cellular Biology 2002 Sep; 22(18):6498.

#### Construction of expression-ready cDNA clones for KIAA genes: manual curation of 330 KIAA cDNA clones.

Daisuke Nakajima, Noriko Okazaki, Hisashi Yamakawa, Reiko Kikuno, Osamu Ohara, Takahiro Nagase. DNA Research 2002 Jun; 9(3):99.

### Pathway

• Wnt signaling pathway