


ATM (phospho S1981) polyclonal antibody

Catalog # PAB25061 Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue with ATM (phospho S1981) polyclonal antibody (Cat # PAB25061).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic phosphopeptide of ATM.
Immunogen	Synthetic phosphopeptide corresponding to residues surrounding S1981 of ATM.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Concentration	1 mg/mL
Purity	> 95% by SDS-PAGE
Recommend Usage	Immunohistochemistry (1:50-1:200) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (0.05% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue with ATM (phospho S1981) polyclonal antibody (Cat # PAB25061).

Gene Info — ATM

Entrez GeneID [472](#)

Gene Name ATM

Gene Alias AT1, ATA, ATC, ATD, ATDC, ATE, DKFZp781A0353, MGC74674, TEL1, TELO1

Gene Description ataxia telangiectasia mutated

Omim ID [114480](#) [208900](#) [607585](#)

Gene Ontology [Hyperlink](#)

Gene Summary The protein encoded by this gene belongs to the PI3/P4-kinase family. This protein is an important cell cycle checkpoint kinase that phosphorylates; thus, it functions as a regulator of a wide variety of downstream proteins, including tumor suppressor proteins p53 and BRCA1, checkpoint kinase CHK2, checkpoint proteins RAD17 and RAD9, and DNA repair protein NBS1. This protein and the closely related kinase ATR are thought to be master controllers of cell cycle checkpoint signaling pathways that are required for cell response to DNA damage and for genome stability. Mutations in this gene are associated with ataxia telangiectasia, an autosomal recessive disorder. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations AT mutated|TEL1, telomere maintenance 1, homolog|ataxia telangiectasia mutated (includes complementation groups A, C and D)|ataxia telangiectasia mutated protein|human phosphatidylinositol 3-kinase homolog|serine-protein kinase ATM

Pathway

- [Apoptosis](#)
- [Cell cycle](#)
- [p53 signaling pathway](#)

Disease

- [Acute Disease](#)
- [Adenocarcinoma](#)
- [Ataxia telangiectasia](#)
- [Atherosclerosis](#)
- [Brain Neoplasms](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Chromosome Aberrations](#)
- [Cocarcinogenesis](#)
- [Colorectal Neoplasms](#)
- [Diabetes Mellitus](#)
- [DNA Damage](#)
- [Edema](#)
- [Endometrial Neoplasms](#)
- [Esophageal Neoplasms](#)
- [Fibrosis](#)
- [Genetic Predisposition to Disease](#)
- [Glioma](#)
- [Hodgkin Disease](#)
- [Hypercholesterolemia](#)
- [Hypertension](#)
- [Kidney Failure](#)

- [Leukemia](#)
- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Micronuclei](#)
- [Mouth Neoplasms](#)
- [Neoplasms](#)
- [Ovarian cancer](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Precancerous Conditions](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Pulmonary Disease](#)
- [Radiation Injuries](#)
- [Radiation Pneumonitis](#)
- [Radiodermatitis](#)
- [Schizophrenia](#)
- [Silicosis](#)
- [Small Cell Lung Carcinoma](#)
- [Spinocerebellar ataxia](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)