


HTR2C polyclonal antibody

Catalog # PAB25546

Size 50 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of formalin-fixed, paraffin-embedded human pancreas, ganglion and schwann cells tissue after heat-induced antigen retrieval.

Using HTR2C polyclonal antibody (Cat # PAB25546).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of HTR2C.
Immunogen	A synthetic peptide corresponding to 16 amino acids at 3rd cytoplasmic domain of human HTR2C.
Host	Rabbit
Reactivity	Human, Monkey
Specificity	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Form	Liquid
Purification	Immunoaffinity chromatography
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (2.6 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of formalin-fixed, paraffin-embedded human pancreas, ganglion and schwann cells tissue after heat-induced antigen retrieval.

Using HTR2C polyclonal antibody (Cat # PAB25546).

Gene Info — HTR2C

Entrez GeneID [3358](#)

Gene Name HTR2C

Gene Alias 5-HT2C, 5-HTR2C, HTR1C

Gene Description 5-hydroxytryptamine (serotonin) receptor 2C

Omim ID [312861](#)

Gene Ontology [Hyperlink](#)

Gene Summary Serotonin (5-hydroxytryptamine, 5-HT), a neurotransmitter, elicits a wide array of physiological effects by binding to several receptor subtypes, including the 5-HT2 family of seven-transmembrane-spanning, G-protein-coupled receptors, which activate phospholipase C and D signaling pathways. This gene encodes the 2C subtype of serotonin receptor and its mRNA is subject to multiple RNA editing events, where genomically encoded adenosine residues are converted to inosines. RNA editing is predicted to alter amino acids within the second intracellular loop of the 5-HT2C receptor and generate receptor isoforms that differ in their ability to interact with G proteins and the activation of phospholipase C and D signaling cascades, thus modulating serotonergic neurotransmission in the central nervous system. Studies in humans have reported abnormalities in patterns of 5-HT2C editing in depressed suicide victims. [provided by RefSeq]

Other Designations 5-hydroxytryptamine receptor 2C|OTTHUMP00000023868|OTTHUMP00000023869|serotonin 5-HT-2C receptor|serotonin receptor 2C

Pathway

- [Calcium signaling pathway](#)
- [Gap junction](#)

- [Neuroactive ligand-receptor interaction](#)

Disease

- [Adolescent Psychology](#)
- [Affective Disorders](#)
- [Akathisia](#)
- [Alcoholism](#)
- [Alcohol-Related Disorders](#)
- [Alzheimer disease](#)
- [Anorexia Nervosa](#)
- [Antisocial Personality Disorder](#)
- [Anxiety Disorders](#)
- [Appetite](#)
- [Attention Deficit and Disruptive Behavior Disorders](#)
- [Attention Deficit Disorder with Hyperactivity](#)
- [Autistic Disorder](#)
- [Basal Ganglia Diseases](#)
- [Bipolar Disorder](#)
- [Body Weight](#)
- [Borderline Personality Disorder](#)
- [Brief Psychiatric Rating Scale](#)
- [Bulimia](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Cognition](#)

- [Depressive Disorder](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Dyskinesia](#)
- [Dyspepsia](#)
- [Edema](#)
- [Epilepsy](#)
- [Executive Function](#)
- [Fatigue](#)
- [Fatigue Syndrome](#)
- [Genetic Predisposition to Disease](#)
- [Hypokinesia](#)
- [Memory](#)
- [Mental Disorders](#)
- [Metabolic Syndrome X](#)
- [Migraine Disorders](#)
- [Migraine with Aura](#)
- [Mood Disorders](#)
- [Muscle Rigidity](#)
- [NARP](#)
- [Neuropsychological Tests](#)
- [Obesity](#)
- [Ovarian Failure](#)
- [Panic Disorder](#)
- [Parkinson disease](#)
- [Parkinsonian Disorders](#)

- [Personality Disorders](#)
- [Personality Inventory](#)
- [Polycystic Ovary Syndrome](#)
- [Psychiatric Status Rating Scales](#)
- [Psychotic Disorders](#)
- [Puberty](#)
- [Puerperal Disorders](#)
- [Satiation](#)
- [Schizophrenia](#)
- [Schizophrenic Psychology](#)
- [Seasonal Affective Disorder](#)
- [Sexual Dysfunction](#)
- [Sleep](#)
- [Sleep Apnea](#)
- [Stress](#)
- [Substance Withdrawal Syndrome](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Tourette Syndrome](#)
- [Tremor](#)
- [Tuberous sclerosis](#)
- [Weight Gain](#)
- [Weight Loss](#)
- [Weil Disease](#)