


MEF2A (phospho S408) polyclonal antibody

Catalog # PAB25881 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using MEF2A (phospho S408) polyclonal antibody (Cat # PPAB25881).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic phosphopeptide of MEF2A.
Immunogen	Synthetic phosphopeptide corresponding to residues surrounding S408 of human MEF2A.
Sequence	P-I-Sp-P-P
Host	Rabbit
Theoretical MW (kDa)	54
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Affinity chromatography
Concentration	1 mg/mL
Recommend Usage	Immunohistochemistry (1:50-1:100) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (without Mg ²⁺ and Ca ²⁺), 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)

Storage Instruction

Store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using MEF2A (phospho S408) polyclonal antibody (Cat # PPAB25881).

Gene Info — MEF2A

Entrez GeneID[4205](#)**Protein Accession#**[Q02078](#)**Gene Name**

MEF2A

Gene Alias

ADCAD1, RSRFC4, RSRFC9

Gene Description

myocyte enhancer factor 2A

Omim ID[600660 608320](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

The process of differentiation from mesodermal precursor cells to myoblasts has led to the discovery of a variety of tissue-specific factors that regulate muscle gene expression. The myogenic basic helix-loop-helix proteins, including myoD (MIM 159970), myogenin (MIM 159980), MYF5 (MIM 159990), and MRF4 (MIM 159991) are one class of identified factors. A second family of DNA binding regulatory proteins is the myocyte-specific enhancer factor-2 (MEF2) family. Each of these proteins binds to the MEF2 target DNA sequence present in the regulatory regions of many, if not all, muscle-specific genes. The MEF2 genes are members of the MADS gene family (named for the yeast mating type-specific transcription factor MCM1, the plant homeotic genes 'agamous' and 'deficiens' and the human serum response factor SRF (MIM 600589)), a family that also includes several homeotic genes and other transcription factors, all of which share a conserved DNA-binding domain.[supplied by OMIM]

Other Designations

MADS box transcription enhancer factor 2, polypeptide A (myocyte enhancer factor 2A)

Disease

- [Atherosclerosis](#)
- [Cardiomyopathy](#)
- [Cardiovascular Diseases](#)
- [Coronary Artery Disease](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)
- [Hypertrophy](#)
- [Insulin Resistance](#)
- [Myocardial Infarction](#)
- [Myocardial Ischemia](#)
- [Polycystic Ovary Syndrome](#)
- [Tobacco Use Disorder](#)