


CALCRL polyclonal antibody

Catalog # PAB26159

Size 50 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human colon, submucosal vessels with CALCRL polyclonal antibody (Cat # PAB26159).

Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of CALCRL.
Immunogen	A synthetic peptide corresponding to 15 amino acids at N-terminus of human CALCRL.
Host	Rabbit
Reactivity	Human
Specificity	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Form	Liquid
Purification	Immunoaffinity chromatography
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (16 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human colon, submucosal vessels with CALCRL polyclonal antibody (Cat # PAB26159).

Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Gene Info — CALCRL

Entrez GeneID	10203
Protein Accession#	Q16602
Gene Name	CALCRL
Gene Alias	CGRPR, CRLR
Gene Description	calcitonin receptor-like
Omim ID	114190
Gene Ontology	Hyperlink
Other Designations	-

Pathway

- [Neuroactive ligand-receptor interaction](#)
- [Vascular smooth muscle contraction](#)

Disease

- [Arthritis](#)
- [Asperger Syndrome](#)
- [Autistic Disorder](#)

- [Genetic Predisposition to Disease](#)
- [Glaucoma](#)
- [Hyperparathyroidism](#)
- [Hypertension](#)
- [Social Perception](#)
- [Tobacco Use Disorder](#)