
# P2RY4 polyclonal antibody

Catalog # PAB26534 Size 50 ug

## Applications



#### Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical (Formalin/PFA-fixed paraffin-embedded sections) staining in human pancreas with P2RY4 polyclonal antibody (Cat # PAB26534). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of P2RY4.
Immunogen	A synthetic peptide corresponding to 16 amino acids at internal region of human P2RY4.
Host	Rabbit
Reactivity	Human
Specificity	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Form	Liquid
Purification	Immunoaffinity chromatography
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (10 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing.

😵 Abnova

#### **Product Information**

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

## Applications

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical (Formalin/PFA-fixed paraffin-embedded sections) staining in human pancreas with P2RY4 polyclonal antibody (Cat # PAB26534). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Gene Info — P2RY4	
Entrez GenelD	<u>5030</u>
Protein Accession#	<u>P51582</u>
Gene Name	P2RY4
Gene Alias	NRU, P2P, P2Y4, UNR
Gene Description	pyrimidinergic receptor P2Y, G-protein coupled, 4
Omim ID	300038
Gene Ontology	Hyperlink
Gene Summary	The product of this gene belongs to the family of G-protein coupled receptors. This family has sev eral receptor subtypes with different pharmacological selectivity, which overlaps in some cases, f or various adenosine and uridine nucleotides. This receptor is responsive to uridine nucleotides, partially responsive to ATP, and not responsive to ADP. [provided by RefSeq
Other Designations	OTTHUMP0000023468 P2Y purinoceptor 4 pyrimidinergic receptor P2Y4 uridine nucleotide rec eptor

### Pathway

<u>Neuroactive ligand-receptor interaction</u>