


KRT8 polyclonal antibody

Catalog # PAB26816 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using KRT8 polyclonal antibody (Cat # PAB26816).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of KRT8.
Immunogen	A synthetic peptide corresponding to residues surrounding S74 of human KRT8.
Sequence	L-L-Sp-P-L
Host	Rabbit
Theoretical MW (kDa)	55
Reactivity	Human
Form	Liquid
Purification	Affinity chromatography
Concentration	1 mg/mL
Recommend Usage	Immunohistochemistry (1:50-1:100) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)

Storage Instruction

Store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using KRT8 polyclonal antibody (Cat # PAB26816).

Gene Info — KRT8

Entrez GeneID[3856](#)**Protein Accession#**[P05787](#)**Gene Name**

KRT8

Gene Alias

CARD2, CK8, CYK8, K2C8, K8, KO

Gene Description

keratin 8

Omim ID[148060 215600](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene is a member of the type II keratin family clustered on the long arm of chromosome 12. Type I and type II keratins heteropolymerize to form intermediate-sized filaments in the cytoplasm of epithelial cells. The product of this gene typically dimerizes with keratin 18 to form an intermediate filament in simple single-layered epithelial cells. This protein plays a role in maintaining cellular structural integrity and also functions in signal transduction and cellular differentiation. Mutations in this gene cause cryptogenic cirrhosis. [provided by RefSeq]

Other Designations

cytokeratin 8|keratin, type II cytoskeletal 8

Disease

- [Alzheimer disease](#)
- [Cerebral Amyloid Angiopathy](#)
- [Chronic Disease](#)

- [Disease Progression](#)
- [Drug-Induced Liver Injury](#)
- [Genetic Predisposition to Disease](#)
- [Hepatitis C](#)
- [Inflammatory Bowel Diseases](#)
- [Liver Cirrhosis](#)
- [Liver Failure](#)
- [Neuroblastoma](#)
- [Pancreatitis](#)