

TACC1 polyclonal antibody

Catalog # PAB26939 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of K-562 cell lysate with TACC1 polyclonal antibody (Cat # PAB26939).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of TACC1.
Immunogen	A synthetic peptide corresponding to human TACC1.
Host	Rabbit
Theoretical MW (kDa)	87
Reactivity	Human, Mouse
Specificity	TACC1 polyclonal antibody detects endogenous levels of TACC1 protein.
Form	Liquid
Purification	Affinity purification
Concentration	1 mg/mL
Recommend Usage	Western Blot (1:500-1:1000) Immunohistochemistry (1:50-1:200) Immunofluorescence (1:50-1:200) The optimal working dilution should be determined by the end user.

Storage Buffer	In PBS, pH 7.2 (0.05% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western blot analysis of K-562 cell lysate with TACC1 polyclonal antibody (Cat # PAB26939).

- Immunohistochemistry

- Immunofluorescence

Gene Info — TACC1

Entrez GeneID	6867
Protein Accession#	O75410
Gene Name	TACC1
Gene Alias	DKFZp686K18126, Ga55, KIAA1103
Gene Description	transforming, acidic coiled-coil containing protein 1
Omim ID	605301
Gene Ontology	Hyperlink
Gene Summary	This locus may represent a breast cancer candidate gene. It is located close to FGFR1 on a region of chromosome 8 that is amplified in some breast cancers. Three transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]
Other Designations	transforming, acidic coiled-coil containing protein 1 variant TACC1-B

Disease

- [Genetic Predisposition to Disease](#)

- [Obesity](#)
- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)