

CLDN7 polyclonal antibody


Catalog # PAB27038 Size 100 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of CLDN7 polyclonal antibody (Cat # PAB27038) in extracts from K-562 cells.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical analysis of CLDN7 polyclonal antibody (Cat # PAB27038) in paraffin-embedded human lung carcinoma tissue.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of CLDN7.
Immunogen	A synthetic peptide corresponding to human CLDN7.
Host	Rabbit
Theoretical MW (kDa)	22
Reactivity	Human, Mouse, Rat
Specificity	CLDN7 polyclonal antibody detects endogenous levels of CLDN7 protein.
Form	Liquid



Product Information

Purification	Antigen affinity purification
Concentration	1 mg/mL
Recommend Usage	Western Blot (1:500-1:1000)
	Immunohistochemistry (1:50-1:200)
	The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (0.05% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C.
	Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul
	d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis of CLDN7 polyclonal antibody (Cat # PAB27038) in extracts from K-562 cells.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of CLDN7 polyclonal antibody (Cat # PAB27038) in paraffin-embedded human lung carcinoma tissue.

Enzyme-linked Immunoabsorbent Assay

Gene Info — CLDN7		
Entrez GeneID	1366	
Protein Accession#	<u>095471</u>	
Gene Name	CLDN7	
Gene Alias	CEPTRL2, CPETRL2, Hs.84359, claudin-1	
Gene Description	claudin 7	
Omim ID	<u>609131</u>	
Gene Ontology	<u>Hyperlink</u>	



Product Information

Gene Summary	Claudins, such as CLDN7, are involved in the formation of tight junctions between epithelial cells. Tight junctions restrict lateral diffusion of lipids and membrane proteins, and thereby physically define the border between the apical and basolateral compartments of epithelial cells (Zheng et al., 2 003 [PubMed 14502431]).[supplied by OMIM
Other Designations	Clostridium perfringens enterotoxin receptor-like 2 claudin 9

Pathway

- Cell adhesion molecules (CAMs)
- Leukocyte transendothelial migration
- Tight junction