


FAM35A polyclonal antibody


Catalog # PAB27502 Size 100 uL

Applications




Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with FAM35A polyclonal antibody (Cat # PAB27502) at 1:100-1:250 dilution.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human urinary bladder with FAM35A polyclonal antibody (Cat # PAB27502) shows strong cytoplasmic positivity in urothelial cells at 1:50-1:200 dilution.



Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with FAM35A polyclonal antibody (Cat # PAB27502) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli and cytoskeleton (actin filaments).

Specification

Product Description	Rabbit polyclonal antibody raised against recombinant FAM35A.
Immunogen	Recombinant protein corresponding to amino acids of human FAM35A.
Sequence	FLANCMNRHVHVKDDFVRSVSETQNIESQKIHSSRLSDITSSNMQICGFKSTVPHFTEEEKYQKLL SENKIRDEQPKHQPD
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:50-1:200) Immunofluorescence (1-4 ug/mL) Western Blot (1:100-1:250) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2, (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with FAM35A polyclonal antibody (Cat # PAB27502) at 1:100-1:250 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human urinary bladder with FAM35A polyclonal antibody (Cat # PAB27502) shows strong cytoplasmic positivity in urothelial cells at 1:50-1:200 dilution.

- Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with FAM35A polyclonal antibody (Cat # PAB27502) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli and cytoskeleton (actin filaments).

Gene Info — FAM35A

Entrez GeneID [54537](#)**Gene Name** FAM35A**Gene Alias** FAM35A1, MGC5560, bA163M19.1**Gene Description** family with sequence similarity 35, member A**Gene Ontology** [Hyperlink](#)**Gene Summary** O**Other Designations** OTTHUMP00000020021|hypothetical protein LOC54537