
KCNE3 polyclonal antibody

Catalog # PAB27753 Size 50 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human kidney tissue with KCNE3 polyclonal antibody (Cat # PAB27753). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heatinduced antigen retrieval.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of KCNE3.
Immunogen	A synthetic peptide corresponding to 18 amino acid at internal region of human KCNE3.
Host	Rabbit
Reactivity	Human
Specificity	BLAST analysis of the peptide immunogen showed no homology with other human proteins.
Form	Liquid
Purification	Immunoaffinity chromatography
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (5 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -80°C. Aliquot to avoid repeated freezing and thawing.

😵 Abnova

Product Information

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) of human kidney tissue with KCNE3 polyclonal antibody (Cat # PAB27753). Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval.

Gene Info — KCNE3	
Entrez GenelD	<u>10008</u>
Protein Accession#	<u>Q9Y6H6</u>
Gene Name	KCNE3
Gene Alias	DKFZp781H21101, HOKPP, MGC102685, MGC129924, MiRP2
Gene Description	potassium voltage-gated channel, lsk-related family, member 3
Omim ID	<u>170400 604433</u>
Gene Ontology	Hyperlink
Gene Summary	Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion ch annels from both functional and structural standpoints. Their diverse functions include regulating n eurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte tran sport, smooth muscle contraction, and cell volume. This gene encodes a member of the potassiu m channel, voltage-gated, isk-related subfamily. This member is a type I membrane protein, and a beta subunit that assembles with a potassium channel alpha-subunit to modulate the gating kineti cs and enhance stability of the multimeric complex. This gene is prominently expressed in the kidn ey. A missense mutation in this gene is associated with hypokalemic periodic paralysis. [provide d by RefSeq
Other Designations	cardiac voltage-gated potassium channel accessory subunit minK-related peptide 2 minimum pot assium ion channel-related peptide 2 potassium voltage-gated channel subfamily E member 3 vol tage-gated K+ channel subunit MIRP2

Disease

<u>Cardiovascular Diseases</u>

😵 Abnova

- Diabetes Mellitus
- Edema
- <u>Hypokalemic Periodic Paralysis</u>
- Long QT syndrome
- <u>Meniere Disease</u>
- Paralyses
- Paralysis
- Thyrotoxicosis