


FAM125A polyclonal antibody

Catalog # PAB27916


Size 100 uL

Applications




Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with FAM125A polyclonal antibody (Cat # PAB27916) at 1:100-1:250 dilution.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human colon with FAM125A polyclonal antibody (Cat # PAB27916) shows moderate cytoplasmic and membranous positivity in glandular cells at 1:50-1:200 dilution.



Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with FAM125A polyclonal antibody (Cat # PAB27916) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli and cytoplasm.

Specification

Product Description	Rabbit polyclonal antibody raised against recombinant FAM125A.
Immunogen	Recombinant protein corresponding to amino acids of human FAM125A.
Sequence	LGATDTAVFDVRLSGKTKTVPGYLRI GDMGGFAWCKKAKAPRPVPKPRGLSRDMQGLSLDAAS QPSKGGLLERTASRLGSRASTL
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (1:50-1:200) Western Blot (1:100-1:250) Immunofluorescence (1-4 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2, (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: Human Plasma, Lane 4: Liver, Lane 5: Tonsil with FAM125A polyclonal antibody (Cat # PAB27916) at 1:100-1:250 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human colon with FAM125A polyclonal antibody (Cat # PAB27916) shows moderate cytoplasmic and membranous positivity in glandular cells at 1:50-1:200 dilution.

- Immunofluorescence

Immunofluorescent staining of human cell line U-2 OS with FAM125A polyclonal antibody (Cat # PAB27916) at 1-4 ug/mL dilution shows positivity in nucleus but not nucleoli and cytoplasm.

Gene Info — FAM125A

Entrez GeneID	93343
Gene Name	FAM125A
Gene Alias	CFBP, FLJ32495
Gene Description	family with sequence similarity 125, member A
Gene Ontology	Hyperlink
Gene Summary	O
Other Designations	CIN85/CD2AP family binding protein

Pathway

- [Endocytosis](#)