


# ZNF75A polyclonal antibody


Catalog # PAB28476      Size 100 uL

## Applications




### Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: A-431, Lane 4: Liver, Lane 5: Tonsil with ZNF75A polyclonal antibody at 1:100-1:250 dilution.



### Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human kidney with ZNF75A polyclonal antibody (Cat # PAB28476) shows moderate cytoplasmic and nuclear positivity in cells in tubules at 1:50-1:200 dilution.



### Immunofluorescence

Immunofluorescent staining of human cell line A-431 with ZNF75A polyclonal antibody (Cat # PAB28476) at 1-4 ug/ml shows positivity in nucleoli & nucleus but not nucleoli.

## Specification

Product Description	Rabbit polyclonal antibody raised against recombinant ZNF75A.
Immunogen	Recombinant protein corresponding to amino acids of human ZNF75A
Sequence	QEEWELLDPTQKALYNDVMQENYETVISLALFVLPKPKVISCLEQGEEPWVQVSPEFKDSAGKS PTGLKCLKNDTENHQPVSLSLDLEIQASAGVISKKAKVKVPQKTAGKENHFDMHRVGKWHQDFPVK KRKKLSTWKQELLKLM
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry(1:50-1:200) Western Blot(1:100-1:250) Immunofluorescence(1-4 ug/ml) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

## Applications

- Western Blot

Western blot analysis of Lane 1: RT-4, Lane 2: U-251 MG, Lane 3: A-431, Lane 4: Liver, Lane 5: Tonsil with ZNF75A polyclonal antibody at 1:100-1:250 dilution.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining of human kidney with ZNF75A polyclonal antibody (Cat # PAB28476) shows moderate cytoplasmic and nuclear positivity in cells in tubules at 1:50-1:200 dilution.

- Immunofluorescence

Immunofluorescent staining of human cell line A-431 with ZNF75A polyclonal antibody (Cat # PAB28476) at 1-4 ug/ml shows positivity in nucleoli & nucleus but not nucleoli.

## Gene Info — ZNF75A

Entrez GeneID	<a href="#">7627</a>
Protein Accession#	<a href="#">I3L2I5</a>
Gene Name	ZNF75A
Gene Alias	FLJ31529
Gene Description	zinc finger protein 75a
Omim ID	<a href="#">601473</a>
Gene Ontology	<a href="#">Hyperlink</a>
Other Designations	OTTHUMP00000159717