


IKBKG (phospho S376) polyclonal antibody

Catalog # PAB29299

Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human brain tissue with IKBKG (phospho S376) polyclonal antibody (Cat# PAB29299) without blocking peptide (A) or preincubated with blocking peptide (B) under 1:50-1:100 dilution.

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic phosphopeptide of human IKBKG.
Immunogen	Synthetic phosphopeptide (conjugated with KLH) corresponding to residues surrounding S376 of human IKBKG.
Host	Rabbit
Theoretical MW (kDa)	48
Reactivity	Human, Mouse, Rat
Specificity	IKBKG (phospho S376) polyclonal antibody detects endogenous levels of human IKBKG only when phosphorylated at serine 376.
Form	Liquid

Purification	Affinity Chromatography
Recommend Usage	Immunohistochemistry (1:50~1:100) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (without Mg ²⁺ and Ca ²⁺), 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human brain tissue with IKBKG (phospho S376) polyclonal antibody (Cat# PAB29299) without blocking peptide (A) or preincubated with blocking peptide (B) under 1:50-1:100 dilution.

Gene Info — IKBKG

Entrez GeneID	8517
Protein Accession#	Q9Y6K9
Gene Name	IKBKG
Gene Alias	AMCBX1, FIP-3, FIP3, Fip3p, IKK-gamma, IP, IP1, IP2, IPD2, NEMO
Gene Description	inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase gamma
Omim ID	300248 300291 300301 300584 300636 308300
Gene Ontology	Hyperlink
Gene Summary	This gene encodes the regulatory subunit of the inhibitor of kappaB kinase (IKK) complex, which activates NF-kappaB resulting in activation of genes involved in inflammation, immunity, cell survival, and other pathways. Mutations in this gene result in incontinentia pigmenti, hypohidrotic ectodermal dysplasia, and several other types of immunodeficiencies. Multiple transcript variants encoding different isoforms have been found for this gene. A pseudogene highly similar to this locus is located in an adjacent region of the X chromosome. [supplied by RefSeq]
Other Designations	NFkappaB essential modulator OTTHUMP00000026027 OTTHUMP00000026028 OTTHUMP0000026029 incontinentia pigmenti

Pathway

- [Acute myeloid leukemia](#)
- [Adipocytokine signaling pathway](#)
- [Apoptosis](#)
- [B cell receptor signaling pathway](#)
- [Chemokine signaling pathway](#)
- [Chronic myeloid leukemia](#)
- [Epithelial cell signaling in Helicobacter pylori infection](#)
- [MAPK signaling pathway](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Primary immunodeficiency](#)
- [Prostate cancer](#)
- [Small cell lung cancer](#)
- [T cell receptor signaling pathway](#)
- [Toll-like receptor signaling pathway](#)

Disease

- [Atherosclerosis](#)
- [Calcinosis](#)
- [Coronary Artery Disease](#)
- [Disease Progression](#)
- [Disease Susceptibility](#)
- [HIV Infections](#)