


PGR polyclonal antibody

Catalog # PAB30378

Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human uterine corpus with PGR polyclonal antibody (Cat # PAB30378) shows strong nuclear positivity in glandular cells at 1:200-1:500 dilution.

Specification

Product Description	Rabbit polyclonal antibody raised against partial recombinant human PGR.
Immunogen	Recombinant protein corresponding to human PGR.
Sequence	RVVRLDAVALPQPVGVPNESQALSQRFTFSPGQDIQLIPPLINLLMSIEPDVIYAGHDNTKPDTS SLLTSLNQLGERQLLSVVKWSKS
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:200-1:500) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide).

Storage Instruction

Store at 4°C. For long term storage store at -20°C.
Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human uterine corpus with PGR polyclonal antibody (Cat # PAB30378) shows strong nuclear positivity in glandular cells at 1:200-1:500 dilution.

Gene Info — PGR

Entrez GeneID[5241](#)**Protein Accession#**[P06401](#)**Gene Name**

PGR

Gene Alias

NR3C3, PR

Gene Description

progesterone receptor

Omim ID[607311](#)**Gene Ontology**[Hyperlink](#)**Gene Summary**

This gene encodes a member of the steroid receptor superfamily. The encoded protein mediates the physiological effects of progesterone, which plays a central role in reproductive events associated with the establishment and maintenance of pregnancy. This gene uses two distinct promoters and translation start sites in the first exon to produce two isoforms, A and B. The two isoforms are identical except for the additional 165 amino acids found in the N-terminus of isoform A only, and mediate their own response genes and physiologic effects with little overlap. The location of transcription initiation for isoform B has not been clearly determined. [provided by RefSeq]

Other Designations

-

Disease

- [Abortion](#)
- [Adenocarcinoma](#)

- [Adhesions](#)
- [Aortic Aneurysm](#)
- [Arthritis](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Colorectal Neoplasms](#)
- [Connective Tissue Diseases](#)
- [Diabetes Mellitus](#)
- [Ductus Arteriosus](#)
- [Edema](#)
- [Endometrial Neoplasms](#)
- [Endometriosis](#)
- [Esophageal Neoplasms](#)
- [Fetal Diseases](#)
- [Gender Identity](#)
- [Genetic Predisposition to Disease](#)
- [Hyperprolactinemia](#)
- [Hypertension](#)
- [Infant](#)
- [Infection](#)
- [Infertility](#)
- [Inflammation](#)
- [Kidney Failure](#)
- [Leiomyoma](#)

- [Lung Neoplasms](#)
- [Lymphatic Metastasis](#)
- [Lymphoma](#)
- [Migraine Disorders](#)
- [Musculoskeletal Diseases](#)
- [Neoplasm Invasiveness](#)
- [Neoplasms](#)
- [Obesity](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Cysts](#)
- [Ovarian Failure](#)
- [Ovarian Neoplasms](#)
- [Panic Disorder](#)
- [Peritoneal Diseases](#)
- [Polycystic Ovary Syndrome](#)
- [Pregnancy Complications](#)
- [Premature Birth](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Proteinuria](#)
- [Psychiatric Status Rating Scales](#)
- [Puberty](#)
- [Pulmonary Disease](#)
- [Skin Diseases](#)

- [Stomach Neoplasms](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Uterine Diseases](#)
- [Uterine Neoplasms](#)
- [Vertigo](#)
- [Werner syndrome](#)