


TGFA polyclonal antibody


Catalog # PAB30875 Size 100 uL

Applications



Western Blot (Transfected lysate)

Western Blot analysis of Lane 1: negative control (vector only transfected HEK293T cell lysate) and Lane 2: over-expression lysate (co-expressed with a C-terminal myc-DDK tag in mammalian HEK293T cells) with TGFA polyclonal antibody (Cat # PAB30875).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human rectum with TGFA polyclonal antibody (Cat # PAB30875) shows strong cytoplasmic positivity in glandular cells.

Specification

Product Description	Rabbit polyclonal antibody raised against partial recombinant human TGFA.
Immunogen	Recombinant protein corresponding to human TGFA.
Sequence	LENSTSP LSDPPVAAAVVSHFND CPDSHTQFCFHGTCRFLVQEDKPACVCHSGYVGARCEHAD LLAVVAASQKKQ
Host	Rabbit
Reactivity	Human

Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-1:200) Western Blot (1:100-1:250) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of Lane 1: negative control (vector only transfected HEK293T cell lysate) and Lane 2: over-expression lysate (co-expressed with a C-terminal myc-DDK tag in mammalian HEK293T cells) with TGFA polyclonal antibody (Cat # PAB30875).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human rectum with TGFA polyclonal antibody (Cat # PAB30875) shows strong cytoplasmic positivity in glandular cells.

Gene Info — TGFA

Entrez GeneID	7039
Protein Accession#	P01135
Gene Name	TGFA
Gene Alias	TFGA
Gene Description	transforming growth factor, alpha
Omim ID	190170
Gene Ontology	Hyperlink

Gene Summary

Transforming growth factors (TGFs) are biologically active polypeptides that reversibly confer the transformed phenotype on cultured cells. TGF-alpha shows about 40% sequence homology with epidermal growth factor (EGF; MIM 131530) and competes with EGF for binding to the EGF receptor (MIM 131550), stimulating its phosphorylation and producing a mitogenic response.[supplied by OMIM]

Other Designations

transforming growth factor-alpha

Pathway

- [ErbB signaling pathway](#)
- [Glioma](#)
- [Non-small cell lung cancer](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [Prostate cancer](#)
- [Renal cell carcinoma](#)

Disease

- [Adenocarcinoma](#)
- [Anodontia](#)
- [Carcinoma](#)
- [Cardiovascular Diseases](#)
- [Cleft Lip](#)
- [Cleft Palate](#)
- [Diabetes Mellitus](#)
- [Disease Models](#)
- [Drug Toxicity](#)
- [Edema](#)
- [Esophageal Neoplasms](#)

- [Genetic Predisposition to Disease](#)
- [Hepatitis B](#)
- [Irritable Bowel Syndrome](#)
- [Liver Neoplasms](#)
- [Mouth Neoplasms](#)
- [Pre-Eclampsia](#)
- [Prenatal Exposure Delayed Effects](#)
- [Stomach Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Tooth Abnormalities](#)
- [Uniparental Disomy](#)