


APOH polyclonal antibody


Catalog # PAB31016 Size 100 uL

Applications



Western Blot (Cell lysate)

Western Blot (Cell lysate) analysis of (1) Negative control (vector only transfected HEK293T lysate), and (2) Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human kidney shows extra-cellular positivity in blood vessels and strong cytoplasmic positivity in renal tubules.

Specification

Product Description	Rabbit polyclonal antibody raised against partial recombinant human APOH.
Immunogen	Recombinant protein corresponding to human APOH.
Sequence	EPGEEITYSCKPGYVSRGGMRKFCPLTGLWPINTLKCTPRVCPFAGILENGAVRYTTFEYPNTISFS CNTGFYLNAGDSAKCTEEGKWSELPVCAPICPPPSIPTFATLRVYKPSAGNNSLYRDTAVFECL PQHAMFGNDTTC
Host	Rabbit
Reactivity	Human

Form	Liquid
Purification	Affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:200-500) Western Blot (1:100-250) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

Western Blot (Cell lysate) analysis of (1) Negative control (vector only transfected HEK293T lysate), and (2) Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human kidney shows extra-cellular positivity in blood vessels and strong cytoplasmic positivity in renal tubules.

Gene Info — APOH

Entrez GeneID	350
Protein Accession#	P02749
Gene Name	APOH
Gene Alias	B2G1, BG
Gene Description	apolipoprotein H (beta-2-glycoprotein I)
Omim ID	138700
Gene Ontology	Hyperlink

Gene Summary

Apolipoprotein H has been implicated in a variety of physiologic pathways including lipoprotein metabolism, coagulation, and the production of antiphospholipid autoantibodies. APOH may be a required cofactor for anionic phospholipid binding by the antiphospholipid autoantibodies found in sera of many patients with lupus and primary antiphospholipid syndrome, but it does not seem to be required for the reactivity of antiphospholipid autoantibodies associated with infections. [provided by RefSeq]

Other Designations

apolipoprotein H|beta-2-glycoprotein I

Disease

- [Antiphospholipid Syndrome](#)
- [Atherosclerosis](#)
- [Autoimmune Diseases](#)
- [Cardiovascular Diseases](#)
- [Carotid Stenosis](#)
- [Cerebral Hemorrhage](#)
- [Cerebral Infarction](#)
- [Cerebrovascular Accident](#)
- [Coronary Disease](#)
- [Coronary Thrombosis](#)
- [Diabetes Mellitus](#)
- [Disease Progression](#)
- [Drug Toxicity](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Hepatitis B](#)
- [Hypercholesterolemia](#)
- [Kidney Failure](#)
- [Leprosy](#)

- [Lupus Erythematosus](#)
- [Lupus Nephritis](#)
- [Pregnancy Complications](#)
- [Thrombophilia](#)
- [Thrombosis](#)
- [Venous Thrombosis](#)