

CYP4B1 polyclonal antibody


Catalog # PAB31041 Size 100 uL

Applications



Western Blot (Cell lysate)

Western Blot (Cell Iysate) analysis of (1) Negative control (vector only transfected HEK293T Iysate), and (2) Over-expression Iysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells).



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human nasopharynx shows strong membranous positivity in respiratory epithelial cells.

| Specification | |
|---------------------|---|
| Product Description | Rabbit polyclonal antibody raised against partial recombinant human CYP4B1. |
| Immunogen | Recombinant protein corresponding to human CYP4B1. |
| Sequence | TGSLDKVVSWAHQFPYAHPLWFGQFIGFLNIYEPDYAKAVYSRGDPKAPDVYDFFLQWIGRGLLV LEGPKWLQHRKLLTPGFHYDVLKPYVAVFTESTRIMLDKWEEKAREGKSFDIFCDVGH |
| Host | Rabbit |
| Reactivity | Human |



Product Information

| Form | Liquid |
|---------------------|---|
| Purification | Affinity purification |
| Isotype | lgG |
| Recommend Usage | Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-200) Western Blot (1:100-250) The optimal working dilution should be determined by the end user. |
| Storage Buffer | In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide). |
| Storage Instruction | Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing. |
| Note | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only. |

Applications

Western Blot (Cell lysate)

Gene Info — CYP4B1

Omim ID

Gene Ontology

Western Blot (Cell lysate) analysis of (1) Negative control (vector only transfected HEK293T lysate), and (2) Over-expression lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

124075

Hyperlink

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human nasopharynx shows strong membranous positivity in respiratory epithelial cells.

| Entrez GeneID | <u>1580</u> |
|--------------------|---|
| Protein Accession# | <u>P13584</u> |
| Gene Name | CYP4B1 |
| Gene Alias | CYPIVB1, P-450HP |
| Gene Description | cytochrome P450, family 4, subfamily B, polypeptide 1 |
| | |



Product Information

Gene Summary

This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic re ticulum. In rodents, the homologous protein has been shown to metabolize certain carcinogens; however, the specific function of the human protein has not been determined. Two transcript variants encoding slightly different isoforms have been found for this gene. [provided by RefSeq

Other Designations

 $\label{eq:otthump00000009678} OTTHUMP00000009679 | cytochrome P450, subfamily IVB, polypeptide 1 | microsomal monooxygenase$

Disease

- Cardiovascular Diseases
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- Hearing Loss
- Kidney Failure
- Tobacco Use Disorder