


# TRAIP polyclonal antibody

Catalog # PAB31198 Size 100 uL

## Applications



### Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human colon with TRAIP polyclonal antibody (Cat # PAB31198) shows strong cytoplasmic positivity in glandular cells.

Specification	
Product Description	Rabbit polyclonal antibody raised against partial recombinant human TRAIP.
Immunogen	Recombinant protein corresponding to human TRAIP.
Sequence	QSQRPEVEEMIRDMGVGQSAVEQLAVYCVSLKKEYENLKEARKASGEVADKLRKDLFSSRSKL QTVYSELDQAKLELKSAQKDLQSADKEIMSLK
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Antigen affinity purification
lsotype	lgG
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:500-1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide).

# 😵 Abnova

### **Product Information**

**Storage Instruction** Store at 4°C for

Store at 4°C for short term storage. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

### Applications

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human colon with TRAIP polyclonal antibody (Cat # PAB31198) shows strong cytoplasmic positivity in glandular cells.

Gene Info — TRAIP	
Entrez GenelD	<u>10293</u>
Protein Accession#	Q9BWF2
Gene Name	TRAIP
Gene Alias	RNF206, TRIP
Gene Description	TRAF interacting protein
Omim ID	<u>605958</u>
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a protein that contains an N-terminal RING finger motif and a putative coiled-c oil domain. A similar murine protein interacts with TNFR-associated factor 1 (TRAF1), TNFR-ass ociated factor 2 (TRAF2), and cylindromatosis. The interaction with TRAF2 inhibits TRAF2-media ted nuclear factor kappa-B, subunit 1 activation that is required for cell activation and protection a gainst apoptosis. [provided by RefSeq
Other Designations	ring finger protein 206

#### Disease

- <u>Crohn Disease</u>
- Genetic Predisposition to Disease