


BIN1 polyclonal antibody


Catalog # PAB31354 Size 100 uL

Applications



Western Blot (Transfected lysate)

Western Blot analysis of Lane 1: negative control (vector only transfected HEK293T cell lysate) and Lane 2: over-expression lysate (co-expressed with a C-terminal myc-DDK tag in mammalian HEK293T cells) with BIN1 polyclonal antibody (Cat # PAB31354).



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human cerebral cortex with BIN1 polyclonal antibody (Cat # PAB31354) shows strong nuclear and cytoplasmic positivity in neuronal cells and glial cells.

Specification

Product Description	Rabbit polyclonal antibody raised against partial recombinant human BIN1.
Immunogen	Recombinant protein corresponding to human BIN1.
Sequence	VTAGKIASNVQKKLTRAQEKVLQKLGKADETKDEQFEQCVQNFNKQLTEGTRLQKDLRTYLASVK AMHEASKKLNECLQEVPDWPGRDEANKIAENNDLLWMDYHQKLVDQALLTMDTYLGQFPDIK SRIAKRGRKLVDYDSARHH
Host	Rabbit
Reactivity	Human

Form	Liquid
Purification	Antigen affinity purification
Isotype	IgG
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-1:200) Western Blot (1:100-1:250) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, pH 7.2 (40% glycerol, 0.02% sodium azide).
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Transfected lysate)

Western Blot analysis of Lane 1: negative control (vector only transfected HEK293T cell lysate) and Lane 2: over-expression lysate (co-expressed with a C-terminal myc-DDK tag in mammalian HEK293T cells) with BIN1 polyclonal antibody (Cat # PAB31354).

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical staining (Formalin-fixed paraffin-embedded sections) of human cerebral cortex with BIN1 polyclonal antibody (Cat # PAB31354) shows strong nuclear and cytoplasmic positivity in neuronal cells and glial cells.

Gene Info — BIN1

Entrez GeneID	274
Protein Accession#	O00499
Gene Name	BIN1
Gene Alias	AMPH2, AMPHL, DKFZp547F068, MGC10367, SH3P9
Gene Description	bridging integrator 1
Omim ID	255200 601248
Gene Ontology	Hyperlink

Gene Summary

This gene encodes several isoforms of a nucleocytoplasmic adaptor protein, one of which was initially identified as a MYC-interacting protein with features of a tumor suppressor. Isoforms that are expressed in the central nervous system may be involved in synaptic vesicle endocytosis and may interact with dynamin, synaptojanin, endophilin, and clathrin. Isoforms that are expressed in muscle and ubiquitously expressed isoforms localize to the cytoplasm and nucleus and activate a caspase-independent apoptotic process. Studies in mouse suggest that this gene plays an important role in cardiac muscle development. Alternate splicing of the gene results in ten transcript variants encoding different isoforms. Aberrant splice variants expressed in tumor cell lines have also been described. [provided by RefSeq]

Other Designations

OTTHUMP00000162179|OTTHUMP00000162183|amphiphysin II|amphiphysin-like|box dependent MYC interacting protein 1

Disease

- [Alzheimer Disease](#)
- [Cerebral Hemorrhage](#)
- [Cognition Disorders](#)
- [Genetic Predisposition to Disease](#)
- [Hypertension](#)
- [Intracranial Hemorrhages](#)
- [Neuropsychological Tests](#)
- [Stroke](#)
- [Subarachnoid Hemorrhage](#)