


DOK5 polyclonal antibody

Catalog # PAB3410


Size 400 uL

Applications



Western Blot (Tissue lysate)

The DOK5 polyclonal antibody (Cat # PAB3410) is used in Western blot to detect DOK5 in mouse liver tissue lysate.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Formalin-fixed and paraffin-embedded human cancer tissue reacted with DOK5 polyclonal antibody (Cat # PAB3410), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma.

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of DOK5.
Immunogen	A synthetic peptide (conjugated with KLH) corresponding to C-terminus of human DOK5.
Host	Rabbit
Reactivity	Human, Mouse
Form	Liquid
Purification	Protein G purification

Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:50-100) Western Blot (1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Tissue lysate)

The DOK5 polyclonal antibody (Cat # PAB3410) is used in Western blot to detect DOK5 in mouse liver tissue lysate.

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Formalin-fixed and paraffin-embedded human cancer tissue reacted with DOK5 polyclonal antibody (Cat # PAB3410), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma.

Gene Info — DOK5

Entrez GeneID	55816
Protein Accession#	Q9P104
Gene Name	DOK5
Gene Alias	C20orf180, MGC16926
Gene Description	docking protein 5
Omim ID	608334
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the DOK family of membrane proteins, which are adapter proteins involved in signal transduction. The encoded protein interacts with phosphorylated receptor tyrosine kinases to mediate neurite outgrowth and activation of the MAP kinase pathway. In contrast to other DOK family proteins, this protein does not interact with RASGAP. [provided by RefSeq]
Other Designations	OTTHUMP00000031322 downstream of tyrosine kinase 5

Publication Reference

- [Two new substrates in insulin signaling. IRS5/DOK4 and IRS6/DOK5.](#)

Cai D, Dhe-Paganon S, Melendez PA, Lee J, Shoelson SE.

The Journal of Biological Chemistry 2003 May; 278(28):25323.

- [DOK4 and DOK5: new Dok-related genes expressed in human T cells.](#)

Favre C, Gerard A, Clauzier E, Pontarotti P, Olive D, Nunes JA.

Genes and Immunity 2003 Jan; 4(1):40.

Disease

- [Bipolar Disorder](#)
- [Diabetes Mellitus](#)
- [Dominance](#)
- [Genetic Predisposition to Disease](#)
- [Obesity](#)
- [Ovarian Failure](#)
- [Pattern Recognition](#)
- [Polycystic Ovary Syndrome](#)
- [Puberty](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)