
VARS polyclonal antibody


Catalog # PAB3528 Size 400 uL

Applications



Western Blot (Cell lysate)

Western blot analysis of VARS polyclonal antibody (Cat # PAB3528) in K-562 cell line lysates (35 ug/lane).VARS (arrow) was detected using the purified polyclonal antibody (1:1000 dilution).



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Formalin-fixed and paraffin-embedded human hepatocarcinomareacted with VARS polyclonal antibody (Cat # PAB3528), which was peroxidase-conjugated to the secondary antibody, followed by AEC staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of VARS.
Immunogen	A synthetic peptide (conjugated with KLH) corresponding to N-terminus of human VARS.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Ammonium sulfate precipitation

😵 Abnova	Product Information
Recommend Usage	Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) (1:10-50) Western Blot (1:1000) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Cell lysate)

Western blot analysis of VARS polyclonal antibody (Cat # PAB3528) in K-562 cell line lysates (35 ug/lane).VARS (arrow) was detected using the purified polyclonal antibody (1:1000 dilution).

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Formalin-fixed and paraffin-embedded human hepatocarcinomareacted with VARS polyclonal antibody (Cat # PAB3528), which was peroxidase-conjugated to the secondary antibody, followed by AEC staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

Protein Accession# NP_006286;P26640 Gene Name VARS Gene Alias G7A, VARS1, VARS2 Gene Description valyl-tRNA synthetase Omim ID 192150 Gene Summary Hyperlink Gene Summary Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. B ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-1 aminoacyl-tRNA synthetase family and is located in the class III region of the major histocompatibility complex. [provided by RefSeq	Gene Into — VARS	
Gene Name VARS Gene Alias G7A, VARS1, VARS2 Gene Description valyl-tRNA synthetase Omim ID 192150 Gene Ontology Hyperlink Gene Summary Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. B ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase family and is located in the class III region of the major histocompatibility complex. [provided by RefSeq	Entrez GenelD	7407
Gene Alias G7A, VARS1, VARS2 Gene Description valyl-tRNA synthetase Omim ID 192150 Gene Ontology Hyperlink Gene Summary Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. B ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase family and is located in the class III region of the major histocompatibility complex. [provided by RefSeq	Protein Accession#	<u>NP_006286;P26640</u>
Gene Description valyl-tRNA synthetase Omim ID 192150 Gene Ontology Hyperlink Gene Summary Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. B ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase family and is located in the class III region of the major histocompatibility complex. [provided by RefSeq	Gene Name	VARS
Omim ID 192150 Gene Ontology Hyperlink Gene Summary Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. B ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase family and is located in the class III region of the major histocompatibility complex. [provided by RefSeq	Gene Alias	G7A, VARS1, VARS2
Gene Ontology Hyperlink Gene Summary Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. B ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase family and is located in the class III region of the major histocompatibility complex. [provided by RefSeq	Gene Description	valyI-tRNA synthetase
Gene Summary Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. B ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase family and is located in the class III region of the major histocompatibility complex. [provided by RefSeq	Omim ID	<u>192150</u>
ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase family and is located in the class III region of the major histocompatibility complex. [provided by RefSeq	Gene Ontology	Hyperlink
Other Designations valine tRNA ligase 1, cytoplasmic valyl-tRNA synthetase 2	Gene Summary	ecause of their central role in linking amino acids with nucleotide triplets contained in tRNAs, amin oacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. The protein encoded by this gene belongs to class-I aminoacyl-tRNA synthetase family and is located
	Other Designations	valine tRNA ligase 1, cytoplasmic valyl-tRNA synthetase 2

Gene Info — VARS



Publication Reference

• <u>Three-dimensional reconstruction of the valyl-tRNA synthetase/elongation factor-1H complex and localization</u> of the delta subunit.

Jiang S, Wolfe CL, Warrington JA, Norcum MT. FEBS Letters 2005 Nov; 579(27):6049.

• <u>Toward the full set of human mitochondrial aminoacyl-tRNA synthetases: characterization of AspRS and</u> <u>TvrRS.</u>

Bonnefond L, Fender A, Rudinger-Thirion J, Giege R, Florentz C, Sissler M. Biochemistry 2005 Mar; 44(12):4805.

• Analysis of the gene-dense major histocompatibility complex class III region and its comparison to mouse.

Xie T, Rowen L, Aguado B, Ahearn ME, Madan A, Qin S, Campbell RD, Hood L. Genome Research 2003 Dec; 13(12):2621.

Pathway

- <u>Aminoacyl-tRNA biosynthesis</u>
- Valine

Disease

- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- Lupus Erythematosus