


ZAP70 polyclonal antibody

Catalog # PAB5633 Size 100 ug

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using ZAP70 polyclonal antibody (Cat # PAB5633) .

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of ZAP70.
Immunogen	A synthetic peptide corresponding to residues surrounding Y493 of human ZAP70.
Host	Rabbit
Reactivity	Human, Mouse, Rat
Form	Liquid
Quality Control Testing	Antibody Reactive Against Synthetic Peptide.
Recommend Usage	Immunohistochemistry (1:50-1:100) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS, 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

• Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using ZAP70 polyclonal antibody (Cat # PAB5633).

Gene Info — ZAP70

Entrez GenelD	7535
Gene Name	ZAP70
Gene Alias	FLJ17670, FLJ17679, SRK, STD, TZK, ZAP-70
Gene Description	zeta-chain (TCR) associated protein kinase 70kDa
Omim ID	<u>176947</u>
Gene Ontology	<u>Hyperlink</u>
Gene Summary	This gene encodes an enzyme belonging to the protein tyrosine kinase family, and it plays a role i n T-cell development and lymphocyte activation. This enzyme, which is phosphorylated on tyrosine residues upon T-cell antigen receptor (TCR) stimulation, functions in the initial step of TCR-mediat ed signal transduction in combination with the Src family kinases, Lck and Fyn. This enzyme is als o essential for thymocyte development. Mutations in this gene cause selective T-cell defect, a sev ere combined immunodeficiency disease characterized by a selective absence of CD8-positive T-cells. Two transcript variants that encode different isoforms have been found for this gene. [provided by RefSeq
Other Designations	syk-related tyrosine kinase zeta-chain (TCR) associated protein kinase (70 kD) zeta-chain associ ated protein kinase 70kDa zeta-chain associated protein kinase, 70kD

Pathway

- <u>Natural killer cell mediated cytotoxicity</u>
- Primary immunodeficiency
- <u>T cell receptor signaling pathway</u>

Disease

HIV Infections