

TFEC polyclonal antibody

Catalog # PAB6162 Size 100 ug

Applications



Western Blot (Tissue lysate)

TFEC polyclonal antibody (Cat # PAB6162) staining (1 ug/mL) of human testis lysate (RIPA buffer, 30 ug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

Specification	
Product Description	Goat polyclonal antibody raised against synthetic peptide of TFEC.
Immunogen	A synthetic peptide corresponding to human TFEC.
Sequence	TLDHQIINPTLK-C
Host	Goat
Theoretical MW (kDa)	38.8, 35.5
Reactivity	Human
Specificity	This antibody is expected to recognize both reported human isoforms according to NP_036384.1 an d NP_001018068.1.
Form	Liquid
Purification	Antigen affinity purification
Concentration	0.5 mg/mL
Quality Control Testing	Antibody Reactive Against Synthetic Peptide.



Product Information

Recommend Usage	ELISA (1:32000) Western blot (0.5-2 ug/mL) The optimal working dilution should be determined by the end user.
Storage Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

• Western Blot (Tissue lysate)

TFEC polyclonal antibody (Cat # PAB6162) staining (1 ug/mL) of human testis lysate (RIPA buffer, 30 ug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.

• Enzyme-linked Immunoabsorbent Assay

Gene Info — TFEC	
Entrez GenelD	22797
Protein Accession#	<u>NP_036384.1;NP_001018068.1</u>
Gene Name	TFEC
Gene Alias	TCFEC, TFECL, bHLHe34
Gene Description	transcription factor EC
Omim ID	<u>604732</u>
Gene Ontology	<u>Hyperlink</u>
Other Designations	-

Publication Reference

😵 Abnova

• Molecular cloning of cDNA encoding a human TFEC isoform, a newly identified transcriptional regulator.

Yasumoto K, Shibahara S.

Biochimica et Biophysica Acta 1997 Jul; 1353(1):23.