


IRAK4 polyclonal antibody

Catalog # PAB6731

Size 100 ug

Applications



Western Blot (Cell lysate)

IRAK4 polyclonal antibody (Cat # PAB6731) (1 ug/mL) staining of HeLa lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Specification

Product Description Goat polyclonal antibody raised against synthetic peptide of IRAK4.

Immunogen A synthetic peptide corresponding to human IRAK4.

Sequence NKPITPSTYVRC

Host Goat

Theoretical MW (kDa) 51.5

Reactivity Human, Mouse

Form Liquid

Purification Antigen affinity purification

Concentration 0.5 mg/mL

Quality Control Testing Antibody Reactive Against Synthetic Peptide.

Recommend Usage
ELISA (1:32000)
Western Blot (1-3 ug/mL)
The optimal working dilution should be determined by the end user.

Storage Buffer	In Tris saline, pH 7.3 (0.5% BSA, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Western Blot (Cell lysate)

IRAK4 polyclonal antibody (Cat # PAB6731) (1 ug/mL) staining of HeLa lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

- Enzyme-linked Immunoabsorbent Assay

Gene Info — IRAK4

Entrez GeneID	51135
Protein Accession#	NP_057207.1
Gene Name	IRAK4
Gene Alias	IPD1, NY-REN-64, REN64
Gene Description	interleukin-1 receptor-associated kinase 4
Omim ID	606883 607676 610799
Gene Ontology	Hyperlink
Gene Summary	This gene encodes a kinase that activates NF-kappaB in both the Toll-like receptor (TLR) and T-cell receptor (TCR) signaling pathways. The protein is essential for most innate immune responses. Mutations in this gene result in IRAK4 deficiency and recurrent invasive pneumococcal disease. Multiple transcript variants encoding different isoforms have been found for this gene. [supplied by RefSeq]
Other Designations	IRAK-4 mutated form 1 interleukin-1 receptor associated kinase 4

Publication Reference

- [The role of interleukin 1 receptor-associated kinase-4 \(IRAK-4\) kinase activity in IRAK-4-mediated signaling.](#)

Lye E, Mirtsos C, Suzuki N, Suzuki S, Yeh WC.

The Journal of Biological Chemistry 2004 Sep; 279(39):40653.

Application: WB, Mouse, MEFs

Pathway

- [Apoptosis](#)
- [Neurotrophin signaling pathway](#)
- [Toll-like receptor signaling pathway](#)

Disease

- [Arthritis](#)
- [Asthma](#)
- [Atherosclerosis](#)
- [Birth Weight](#)
- [Bronchiolitis](#)
- [Cardiovascular Diseases](#)
- [Chronic Disease](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Edema](#)
- [Genetic Predisposition to Disease](#)
- [Glioblastoma](#)
- [Glioma](#)
- [HIV Infections](#)
- [Hypersensitivity](#)

- [Infant](#)
- [Kidney Failure](#)
- [Leukemia](#)
- [Meningeal Neoplasms](#)
- [Meningioma](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Respiratory Syncytial Virus Infections](#)