


SMAD3 polyclonal antibody


Catalog # PAB7692 Size 100 uL

Applications



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue, using SMAD3 polyclonal antibody (Cat # PAB7692).



Immunofluorescence

Immunofluorescence staining of methanol-fixed HeLa cells using SMAD3 polyclonal antibody (Cat # PAB7692).

Specification

Product Description	Rabbit polyclonal antibody raised against synthetic peptide of SMAD3.
Immunogen	A synthetic peptide corresponding to residues surrounding S425 of human SMAD3.
Host	Rabbit
Theoretical MW (kDa)	52
Reactivity	Human, Mouse, Rat
Form	Liquid
Purification	Immunoaffinity purification

Concentration	1 mg/mL
Quality Control Testing	Antibody Reactive Against Synthetic Peptide.
Recommend Usage	Immunohistochemistry (1:50-1:100) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (without Mg^{2+} and Ca^{2+}), 150 mM NaCl, pH 7.4 (50% glycerol, 0.02% sodium azide)
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)

Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue, using SMAD3 polyclonal antibody (Cat # PAB7692).

- Immunofluorescence

Immunofluorescence staining of methanol-fixed HeLa cells using SMAD3 polyclonal antibody (Cat # PAB7692).

Gene Info — SMAD3

Entrez GeneID	4088
Protein Accession#	P84022
Gene Name	SMAD3
Gene Alias	DKFZp586N0721, DKFZp686J10186, HSPC193, HsT17436, JV15-2, MADH3, MGC60396
Gene Description	SMAD family member 3
Omim ID	603109
Gene Ontology	Hyperlink

Gene Summary

The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the C. elegans gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein functions as a transcriptional modulator activated by transforming growth factor-beta and is thought to play a role in the regulation of carcinogenesis. [provided by RefSeq]

Other Designations

MAD, mothers against decapentaplegic homolog 3|SMA- and MAD-related protein 3|SMAD, mothers against DPP homolog 3|mad homolog JV15-2|mad protein homolog|mothers against decapentaplegic homolog 3

Pathway

- [Adherens junction](#)
- [Cell cycle](#)
- [Chronic myeloid leukemia](#)
- [Colorectal cancer](#)
- [Pancreatic cancer](#)
- [Pathways in cancer](#)
- [TGF-beta signaling pathway](#)
- [Wnt signaling pathway](#)

Disease

- [Alzheimer disease](#)
- [Anemia](#)
- [Asthma](#)
- [Bacteremia](#)
- [Breast cancer](#)
- [Breast Neoplasms](#)
- [Cleft Lip](#)
- [Cleft Palate](#)

- [Coronary Artery Disease](#)
- [Crohn Disease](#)
- [Diabetes Mellitus](#)
- [Diabetic Nephropathies](#)
- [Genetic Predisposition to Disease](#)
- [Graft vs Host Disease](#)
- [Head and Neck Neoplasms](#)
- [Hypersensitivity](#)
- [Hypertension](#)
- [Keloid](#)
- [Kidney Failure](#)
- [Liver Cirrhosis](#)
- [Neoplasm Recurrence](#)
- [Neoplasms](#)
- [Obesity](#)
- [Occupational Diseases](#)
- [Osteoarthritis](#)
- [Osteoporosis](#)
- [Ovarian cancer](#)
- [Ovarian Failure](#)
- [Ovarian Neoplasms](#)
- [Pancreatic cancer](#)
- [Pancreatic Neoplasms](#)
- [Polycystic Ovary Syndrome](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)

- [Puberty](#)
- [Pulmonary Disease](#)
- [Thrombophilia](#)
- [Tobacco Use Disorder](#)