

CGA/B polyclonal antibody

Catalog # PAB7941

Size 1 mg

Specification

Product Description	Goat polyclonal antibody raised against native CGA/B.
Immunogen	Native purified human CGA/B.
Host	Goat
Reactivity	Human
Specificity	This antibody reacts with CGA and CGB.
Form	Liquid
Quality Control Testing	Antibody Reactive Against Native Purified Protein.
Recommend Usage	The optimal working dilution should be determined by the end user.
Storage Buffer	In 100 mM potassium phosphate buffer, 0.85% NaCl, pH 7.8 (0.05% sodium azide)
Storage Instruction	Store at 4°C.
Note	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Applications

- Sandwich ELISA

Gene Info — CGA

Entrez GeneID	1081
Gene Name	CGA

Gene Alias	CG-ALPHA, FSHA, GPHA1, GPHa, HCG, LHA, TSHA
Gene Description	glycoprotein hormones, alpha polypeptide
Omim ID	118850
Gene Ontology	Hyperlink
Gene Summary	The four human glycoprotein hormones chorionic gonadotropin (CG), luteinizing hormone (LH), follicle stimulating hormone (FSH), and thyroid stimulating hormone (TSH) are dimers consisting of an alpha and beta subunits that are associated noncovalently. The alpha subunits of these hormones are identical, however, their beta chains are unique and confer biological specificity. The protein encoded by this gene is the alpha subunit and belongs to the glycoprotein hormones alpha chain family. [provided by RefSeq]
Other Designations	OTTHUMP00000016825 chorionic gonadotropin, alpha polypeptide follicle-stimulating hormone alpha subunit

Gene Info — CGB

Entrez GeneID	1082
Gene Name	CGB
Gene Alias	CGB3, hCGB
Gene Description	chorionic gonadotropin, beta polypeptide
Omim ID	118860
Gene Ontology	Hyperlink
Gene Summary	This gene is a member of the glycoprotein hormone beta chain family and encodes the beta 3 subunit of chorionic gonadotropin (CG). Glycoprotein hormones are heterodimers consisting of a common alpha subunit and an unique beta subunit which confers biological specificity. CG is produced by the trophoblastic cells of the placenta and stimulates the ovaries to synthesize the steroids that are essential for the maintenance of pregnancy. The beta subunit of CG is encoded by 6 genes which are arranged in tandem and inverted pairs on chromosome 19q13.3 and contiguous with the luteinizing hormone beta subunit gene. [provided by RefSeq]
Other Designations	chorionic gonadotropin beta 3 subunit chorionic gonadotropin beta chain chorionic gonadotropin beta subunit

Pathway

- [Autoimmune thyroid disease](#)

- [GnRH signaling pathway](#)
- [Neuroactive ligand-receptor interaction](#)

Disease

- [Abortion](#)
- [Asperger Syndrome](#)
- [Autistic Disorder](#)
- [Breast Neoplasms](#)
- [Genetic Predisposition to Disease](#)
- [Genetic Predisposition to Disease](#)
- [Lung Neoplasms](#)
- [Obesity](#)
- [Ovarian Failure](#)
- [Polycystic Ovary Syndrome](#)
- [Prostate cancer](#)
- [Prostatic Neoplasms](#)
- [Puberty](#)
- [Pulmonary Disease](#)
- [Social Perception](#)
- [Thrombophilia](#)
- [Thyroid Neoplasms](#)
- [Tobacco Use Disorder](#)
- [Urinary Bladder Neoplasms](#)
- [Werner syndrome](#)