MAPK8 (phospho T183) polyclonal antibody

Catalog # PAB8112 Size 400 uL

Applications



Dot Blot (Peptide)

Dot blot analysis of MAPK8 (phospho T183) polyclonal antibody (Cat # PAB8112) on nitrocellulose membrane. 50 ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.5 ug/mL.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic phosphopeptide of MAPK8.
Immunogen	Synthetic phosphopeptide (conjugated with KLH) corresponding to residues surrounding T183 of hu man MAPK8.
Host	Rabbit
Reactivity	Human
Form	Liquid
Purification	Protein A purification
Recommend Usage	ELISA (1:1000) Dot Blot (1:500) The optimal working dilution should be determined by the end user.
Storage Buffer	In PBS (0.09% sodium azide)
Storage Instruction	Store at 4°C. For long term storage store at -20°C. Aliquot to avoid repeated freezing and thawing.

😭 Abnova

Product Information

Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

- Enzyme-linked Immunoabsorbent Assay
- Dot Blot (Peptide)

Dot blot analysis of MAPK8 (phospho T183) polyclonal antibody (Cat # PAB8112) on nitrocellulose membrane. 50 ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.5 ug/mL.

Gene Info — MAPK8	
Entrez GenelD	<u>5599</u>
Protein Accession#	P45983
Gene Name	МАРК8
Gene Alias	JNK, JNK1, JNK1A2, JNK21B1/2, PRKM8, SAPK1
Gene Description	mitogen-activated protein kinase 8
Omim ID	<u>601158</u>
Gene Ontology	Hyperlink
Gene Summary	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular pro cesses such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates im mediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-n ecrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This ki nase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochro m c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that th is kinase play a key role in T cell proliferation, apoptosis and differentiation. Four alternatively spli ced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq
Other Designations	JNK1 alpha protein kinase JNK1 beta protein kinase JUN N-terminal kinase OTTHUMP0000001 9552 OTTHUMP00000019555 OTTHUMP00000019556 OTTHUMP00000019558 c-Jun N-termi nal kinase 1 mitogen-activated protein kinase 8 isoform JNK1 alpha1 mitogen-activated protein

Publication Reference



A JNK-dependent pathway is required for TNFalpha-induced apoptosis.

Deng Y, Ren X, Yang L, Lin Y, Wu X. Cell 2003 Oct; 115(1):61.

 Inhibition of arachidonate 5-lipoxygenase triggers prostate cancer cell death through rapid activation of c-Jun N-terminal kinase.

Ghosh J.

Biochemical and Biophysical Research Communications 2003 Jul; 307(2):342.

Application: WB-Ce, Human, LNCaP cells

Axin utilizes distinct regions for competitive MEKK1 and MEKK4 binding and JNK activation.

Luo W, Ng WW, Jin LH, Ye Z, Han J, Lin SC.

The Journal of Biological Chemistry 2003 Jul; 278(39):37451.

Pathway

- Adipocytokine signaling pathway
- <u>Colorectal cancer</u>
- Epithelial cell signaling in Helicobacter pylori infection
- ErbB signaling pathway
- Fc epsilon RI signaling pathway
- Focal adhesion
- GnRH signaling pathway
- Insulin signaling pathway
- <u>MAPK signaling pathway</u>
- Neurotrophin signaling pathway
- Pancreatic cancer
- Pathways in cancer
- Toll-like receptor signaling pathway

😵 Abnova

- Type II diabetes mellitus
- Wnt signaling pathway

Disease

- Breast cancer
- Breast Neoplasms
- <u>Cardiovascular Diseases</u>
- Diabetes Mellitus
- Edema
- Genetic Predisposition to Disease
- HIV Infections