


Tlr12 polyclonal antibody

Catalog # PAB8996 Size 100 ug

Applications



Western Blot (Recombinant protein)

Western Blot of Tlr12 polyclonal antibody (Cat # PAB8996) at 1:500 dilution was probed with PC-Tlr12 sample.

Specification	
Product Description	Rabbit polyclonal antibody raised against synthetic peptide of Tlr12.
Immunogen	A synthetic peptide (conjugated with KLH) corresponding to N-terminus mouse Tlr12.
Host	Rabbit
Reactivity	Human, Mouse
Form	Liquid
Quality Control Testing	Antibody Reactive Against Synthetic Peptide.
Recommend Usage	ELISA (1:20000) Dot blot (1:20000) Western Blot (1:500) The optimal working dilution should be determined by the end user.
Storage Buffer	In buffer containing 0.02% sodium azide
Storage Instruction	Store at -20°C. Aliquot to avoid repeated freezing and thawing.





Note

This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which shoul d be handled by trained staff only.

Applications

Western Blot (Recombinant protein)

Western Blot of Tlr12 polyclonal antibody (Cat # PAB8996) at 1:500 dilution was probed with PC-Tlr12 sample.

- Enzyme-linked Immunoabsorbent Assay
- Dot Blot

Gene Info — TIr12	
Entrez GeneID	<u>384059</u>
Gene Name	Tlr12
Gene Alias	Gm1365
Gene Description	toll-like receptor 12
Gene Ontology	<u>Hyperlink</u>
Other Designations	OTTMUSP0000009841

Publication Reference

Immunology. After the toll rush.

O'Neill LA.

Science 2004 Mar; 303(5663):1481.

Application: IHC, WB, Human, Mammalian cells

• LPS-TLR4 signaling to IRF-3/7 and NF-kappaB involves the toll adapters TRAM and TRIF.

Fitzgerald KA, Rowe DC, Barnes BJ, Caffrey DR, Visintin A, Latz E, Monks B, Pitha PM, Golenbock DT.

The Journal of Experimental Medicine 2003 Sep; 198(7):1043.





• TICAM-1, an adaptor molecule that participates in Toll-like receptor 3-mediated interferon-beta induction.

Oshiumi H, Matsumoto M, Funami K, Akazawa T, Seya T.

Nature Immunology 2003 Feb; 4(2):161.